

**DISTRICT AAHAAR SOCIETY, CUTTACK.**

**SHORT QUOTATION CALL NOTICE**

No 1904 Gen / Dt 19.9.18

Sealed Quotations are invited from the intending OEM /Authorized Dealers having valid up-to-date PAN/TIN/VAT/GST Registration No. for Body Building of Distribution Vehicle (Model No-BOLERO MAXI TRUCK PLUS CBC 1.2T BSIV PS) of District Aahaar Society, Cuttack for carrying food from Central Kitchen to the "Aahaar Outlets" as per specification mentioned in the Annexure. The Sealed Quotations for the works mentioned in the Annexure addressed to the Collector-cum-President, DAS, Cuttack having superscribed as "Quotation for Body Building of Distribution Vehicle of District Aahaar Society, Cuttack" should be sent to the Collector, Cuttack by registered / speed post in the address mentioned below. The last date of receipt of quotation is 27.09.2018 upto 5 PM and will be opened on 28.09.2018 at 11.00 AM in the Office Chamber of ADM, Cuttack in presence of Purchase Committee and bidders or their 'authorized representatives'.

The Authority reserves the right to cancel or reject any or all the quotations without assigning any reason thereof.

**POSTAL ADDRESS**

Collector-cum-President,  
District Aahaar Society, Cuttack  
Collectorate, Chandinichowk, Cuttack-753002

**Addl. District Magistrate,  
Cuttack**

**Memo No 1905 /Dt 19.9.18**

Copy forwarded to Commissioner, CMC, Cuttack / Sub-Collector, Sadar Cuttack / BDO, Cuttack Sadar / BDO, Tangi-Choudwar / Tahasildar, Cuttack Sadar / Tangi-Choudwar / E.O., Choudwar Municipality / E.O., Banki NAC for information and necessary action. They are requested to display the Short Quotation Call Notice on their Office Notice Board for wide publication

Copy to Office Notice Board of Collectorate, Cuttack for wide publication.

Copy to DIO, NIC for information and necessary action. She is requested to hoist the Notice in District Website.

**Addl. District Magistrate,  
Cuttack**

19.09.18

## ANNEXURE

Wheel Base	: 3150 MM
Rear Over Hang	: 1510 MM
Rear Body Width	: 1765 MM
Rear Body Length	: 2900 MM (outer to outer)
Rear Body interior Height	: 1750mm
Rear Body Skirt Level	: 520mm
General Drg No	: TAPF / TATA 003

### Foundation Work (Drg No)

Foundation Longitudes and Cross Bar	: 75x40 X 6mm ISMC M S Channel
Foundation raised Brackets	: 75x40X 6mm M S Channel (150 mm/300mm Height)
Foundation Base Plate	: 6 mm M S Plate
Foundation 'U' Clamps	: 16 mm Dia G I Coated 'U' Clamps [with nylock nuts]
Foundation Balata packing	: 12 mm at Top of Chassis
Foundation Longitude	: 3mm thick M S angle and 6mm M S Flats

### Side Structures

1. Side Pillars /2. Roof stick/ Roof Longitude	; G I ERW Tubes
2. Side runners/ front and Rear Assembly	1. : 40 * 40 * 2mm
	2. :30*30 * 2mm
3. Skirt	3. :0 * 20 * 2mm
Nos.Sliding doors on LH side and 1 no. flap door	GI ERW PIPES 50X25X1.6mm 25x25x1.6mm

### Flooring:

With 14 gauges Aluminum  
Chequered plate reversed direction  
With GI Bolts & Nuts  
50mm Dia Drain Holes / 2 nos On  
LH Side

### Exterior Panel Sides, Front, Roof, Roof side, Rear and Rear dooms

: 18G Aluminum Sheets (Plain)  
With 25 \* 3 mm Aluminum Flat  
For Panel Joints there will be 2nos  
footsteps on LH side at skirt level

### Sides, Rear skirt panels

18 G Aluminum Sheet pressed with  
3/4" DCM Beading Top of Skirt panel  
joint

Interior Roof Panel Sides,  
Front, Rear LH door inside panel  
and curd partition both side

20G Aluminum sheet plain with

25 X 2 mm Aluminum flat beading  
for panel joints

Left Hand Side	: Battery Box with SS hinges Tools Box
Right hand side	Diesel tank lid with SS hinges and magnetic catch
Rear- tail Light (O.E)	: Sunken Type – 2nos
Roof Ventilator : box	2 No's exterior top there will be a covering to avoid water and dust particles and inside aluminum rotating type open & close discs.

**DOORS – LH SIDE**

LHS side 2 nos. sliding doors and 1  
no. flap door with G I ERW  
structure with 18G Aluminum Panel  
on exterior and 20G Aluminum  
Panel interior with 25  
**Thick thermocole**

Thermocole insulation sides, Roof, front and rear	: 40mm Thick
Exterior Paint	: 2K PU paint as per TAPF solid colour over rear body exterior including Drivers Cabin and Air Deflector. No paint on rear body interior Under chassis paint to be done with marine antirust paint Rear body roof centre exterior to be painted

**General Fitness**

1. Reinforcement MS flats for SS steel rack fitment.
2. PU sealant to the body, panel, floor plate joint fitment.
3. On RHS side interior 25mm Sq tube length to be, fitted to avoid vessels fitting inside panel.
4. 1 No air deflector to be provided on the drivers cabin top with MS structure + Aluminum panel covering.
5. Battery to be fitted with hinged M S brackets on LH Side below floor.
6. Battery box require locking arrangement other than tower bolt locking system at skirt panel.
7. Rubber mud flap to be provided at rear of rear wheel – 2nos.
8. Front and Rear separate number plate' has to be fitted.
9. Sticker Rear/Front , Left and Right sides , TAPF letters and Donors by TAPF.
10. SS racks to be fitted for carrying vessels by the ss fabricator.

**Addl. District Magistrate,  
Cuttack**

15.09.18