

OFFICE OF THE CHIEF DISTRICT MEDICAL cum PUBLIC HEALTH OFFICER CUTTACK
Department of Health & Family Welfare,



Government of Odisha
Phone/Fax: 0671- 2300777




Adv..No - 13944

Date: - 06.11.2018

Tender Call notice for procurement of Drugs, Equipments, Instruments & Consumables

Sealed tender are invited from the registered Manufacturer/Authorized Dealer/ Authorized Supplier/ agencies having valid Drug License certificate, valid GSTIN, PAN clearance for the supply of Drugs, Equipments, Instruments & Consumables, to the Office of the CDMO Cuttack. The tenders shall be received by the undersigned by Speed post/courier during the office hour **on or before 22.11.2018 by 2.30 PM**. Any application received beyond the stipulated date & time will not be entertained. The quotations will be opened on **22.11.2018 at 3.30 P.M**. Interested firms/Agencies should submit their offer price in the prescribed format in a separate sealed envelope. The details of the tender along with the application form and other terms & conditions are available in the website **www.cuttack.nic.in**.

The authority reserves the right to cancel / reject all or any Tender without assigning any reason thereof.


Chief District Medical cum
Public Health Officer
Cuttack

**CHIEF DISTRICT MEDICAL OFFICER
DISTRICT HEAD QUARTER HOSPITAL
CUTTACK**

Tel / Fax : 0671-2310007
e-mail : cdmocuttack@gmail.com

Tender Reference No.- 13944 DTD 06/11/2018/CDMO/2018-19

**TENDER DOCUMENT
FOR
SUPPLY OF
DRUGS, EQUIPMENTS & CONSUMABLE
(*RATE CONTRACT TENDER*)**

**CHIEF DISTRICT MEDICAL OFFICER
DISTRICT HEAD QUARTER HOSPITAL
CUTTACK**

SECTION -I

NOTICE INVITING TENDER

Tender Reference No. **13944**

Dated: **06/11/2018**

TENDERS ARE INVITED FROM ELIGIBLE **BIDDERS AS PER THE ELIGIBILITY CRITERIA FOR SUPPLY & OF DRUGS, HOSPITAL EQUIPMENT & CONSUMABLE**

1	Period of Availability of Tender Document	From 09/11 /2018 to 22/11/2018 (Downloadable from website: www.cuttack.nic.in) In case of any bid amendment and clarification, responsibility lies with the bidders to collect the same from the above mentioned website before last date of submission of tender document and the tender inviting authority shall have no responsibility for any delay / omission on part of the bidder.
2	Last date & time for submission of Tender	Date: 22/11/2018, Time: 2.30 PM Address of Submission of Bid: The Chief District Medical Officer, O/O CDMO, -CUTTACK <i>(Through Speed post / Registered post / Courier)</i>
3	Date, time and place of opening of Tender	a) Technical Bid (Cover A) opening: 22/11/2018,, 3.30PM at the address mentioned above. b) Financial Bid (Cover B): <i>The date of opening of financial bid will be intimated to the firms found successful in the technical bid evaluation.</i> <i>(Venue is mentioned at the address mentioned above)</i> <i>(Bidders / authorized representative may remain present at the time of opening of bid)</i>

Sd/-
Chief District Medical & Public Health Officer
Cum District Mission Director
Cuttack

SECTION -II

IMPORTANT INSTRUCTIONS TO BE NOTED CAREFULLY BY THE TENDERERS

1.	Mode of Procurement	This is a Rate contract Tender, the rate of which will be valid for a period of one year from the date of finalization of rate contract.. Office of the Chief District Medical Officer, CUTTACK shall invite tender centrally, evaluate the same and finalize the supplier & the rate., The purchase order shall be placed by the Chief District Medical Officer as per the requirement.						
2.	Purchaser	Chief District Medical Officer ,CUTTACK						
3.	Consignee	SVPPGIP,Sishubhawan, CUTTACK						
4.	Delivery Period	Within 15 days from issue of the purchase order at the consignee point.						
5.	Mode of Delivery	By Air / Road / Rail						
6.	Tender Document Cost	Rs. 210/- (Rs200/-+5% GST) . The tender document cost is to be submitted in the shape of bank draft in favour of CHIEF DISTRICT MEDICAL OFFICER CUTTACK, from any Nationalised / Scheduled Bank payable at CUTTACK.						
7.	Earnest Money Deposit (EMD) (The approx. no. of item is mentioned in the Schedule of requirement – Section IV)	<table border="1" style="width: 100%;"><thead><tr><th>Sl.</th><th>Particulars</th><th>EMD (Rs.)</th></tr></thead><tbody><tr><td>1</td><td>DRUGS, EQUIPMENTS & CONSUMABLE</td><td>5,000</td></tr></tbody></table> <p><i>Note: The bidder may quote for any or all the item by submitting the required EMD for that item.</i></p> <p>The Earnest Money Deposit will be paid in the shape of demand Draft only in favour of Chief District Medical Officer, Cuttack, from any Nationalised / Scheduled Bank payable at CUTTACK.</p>	Sl.	Particulars	EMD (Rs.)	1	DRUGS, EQUIPMENTS & CONSUMABLE	5,000
Sl.	Particulars	EMD (Rs.)						
1	DRUGS, EQUIPMENTS & CONSUMABLE	5,000						
8.	Pre-qualification (Eligibility Criteria)	Detail eligibility criteria is mentioned at Clause 2.1, 2.2 & 2.3 in Section -III						

SECTION -III

TERMS AND CONDITIONS FOR SUPPLY & INSTALLATION OF HOSPITALWARD EQUIPMENTS & CONSUMABLE

1.1 Sealed tenders will be received till Dt. **22/11/2018 upto 02.30 PM** by the office of the Chief District Medical Officer, CUTTACK-1. Any tender received after the due date & time will be rejected / returned to the sender unopened. **The tenders will be received through Regd. Post / Courier services / Speed Post only.**

1.2 The bidder(s) are to submit their tenders in **separate** sealed covered envelops for **technical bid** and **commercial bid** by superscribing **Cover “A” (Technical Bid)** & **Cover “B” (Price Bid)** and both the sealed covers should be put into a **third outer Cover**, which should be superscribed as **“Tender for supply of DRUGS, EQUIPMENTS & CONSUMABLE vide Tender Reference No. _____.”**

1.3 The Sealed tenders “Cover A” (Technical Bid) submitted by the tenderers will be opened at the office of the Chief District Medical Officer, CUTTACK at **3.30PM on 22/11/2018**. The tenderer or their duly authorized representatives are allowed to be present during the opening of the tenders if they so like.

ELIGIBILITY CRITERIA

2.1 **Manufacturing units / Importers** are eligible to participate in the tender provided, they fulfill the following conditions:

- (i) Import License (In case of Importer only). In case of importers, they have to furnish the authorization from the manufacturer.
- (ii) Valid ISO certificate (of the Manufacturer)
- (iii) Product must be ISI/BIS /CE / US FDA etc. (valid ISI/BIS /CE /US FDA certificate) certified (As per **Section V** - technical specification).
- (iv) Proof of annual average turnover (Manufacturers/Importer) of **Rs. 20.00 Lakhs or more** in the last three (3) financial years certified by the Chartered Accountant as per the format at **Annexure VI**.
- (v) Proof of compliance with IEC Certificate (As per **Section V** - technical specification) - Medical Electrical Items: Particular requirement for Electrical Safety of the items.
- (vi) Manufacturing unit who has been blacklisted either by the Tender inviting authority or by any state Govt. or Central Govt. organization is not eligible to participate in the tender for that item during the period of blacklisting. Copies of stay order(s) if any against the blacklisting should be furnished along with the bid.
- (vii) Drug License and GMP of the manufacturing firm in case of supply of Drugs

- 2.2 **Authorized distributors/Supplier** are eligible to participate in the tender provided:
- (i) They submit manufacturer's authorization from original item manufacturer (OEM) as per the format at **Annexure - V**.
 - (ii) They should have Proof of Average annual turnover of **Rs.20 lakhs or more** in last three (3) financial years in India financial years certified by the Chartered Accountant (as per Annexure VI)
 - (iii) Proof of supply of **25% of the required quantity** (executed directly by manufacturer or through distributor) of the item(s)/similar items mentioned in the schedule of requirement to any Govt. organization /Corporate Hospitals / PSU Hospitals / UN Agencies and purchase order copies in support of that in last 3 years. (Annexure VII-Item wise)
 - (iv) The authorized distributor/Supplier will submit the following documents in support of the manufacturer along with the tender:
 - a) Valid ISO certificate.
 - b) Valid Drug License in case of supply of Drugs.
 - c) CE / US FDA / IEC certificates of the manufacturer as per technical specification.
- 2.3 The tenderer have to submit the EMD(s) as mentioned in **Clause 8 of Section - II** & the Tender document cost
- 2.4 GMP certificate of the manufacturer in case of drugs .

DOCUMENTS TO BE SUBMITTED

The following documents should be enclosed in Cover "A" (Technical Bid) by the tenderer.

All the photocopies are to be attested by a Notary Public / Gazetted Officer.

TECHNICAL BID :

- 3.1 Checklist with detail of the documents enclosed in **Cover "A"** (as per **Annexure - I**) with **page number**. The documents should be *serially arranged* as per this **Annexure - I** and should be securely tied and bound.
- 3.2 List of Item (s) Quoted with name of the Make & Model of the item (s) (**Annexure – II**)
- 3.3 Tender document fee of Rs.210/- in shape of Demand Draft.
- 3.4 Earnest Money Deposit(s) as mentioned in the **Clause 8 of Section -II** in shape of Demand Draft). Details of EMD and the name of the item quoted should be clearly mentioned.
- 3.5 Details name, address, telephone no., Fax, e-mail of the manufacturer / authorized distributor / service centre / contract person / office in Odisha (**Annexure - III**).
- 3.6 The declaration form in **Annexure - IV** duly signed by the tenderer before Notary Public / Executive Magistrate.

- 3.7 Manufacturer's Authorization Format in **Annexure –V** (In case the bidder is not the manufacturer). Importers are also required to furnish the authorization from the manufacturer.
- 3.8 Certificate duly filled by the Auditor / Chartered Accountant (as per **Annexure –VI**) that the annual average turnover of the firm is Rs. 2 Crore or more in the last 3 (three) financial years for bidders who are manufacturer/importer) or annual average turnover of Rs.1.00 crore or more in the last 3 (three) financial years for bidders who are authorized distributors/Supplier of the manufacturer)
- 3.9 Performance Statement (**Annexure - VII**) (**Item wise**) during the last three years towards proof of supply of similar items to any Govt. organization / Corporate Hospitals / PSU Hospitals / UN Agencies. The copy of Purchase orders and certificate from the user should be furnished in support of the information provided in the performance statement (Item wise)
- 3.10 Deviation/No Deviation Statement from Technical Specification & details of technical specification of the product (**Annexure-VIII A & B**)
- 3.11 Leaflet/Technical Brochures of the product/item offered.
- 3.12 Copy of Import License by the Importer (in case of Importer).
- 3.13 Copy of Valid ISO certificate.
- 3.14 Copy of Valid ISI / CE /US FDA certificate (as per Section V - Technical Specification).
- 3.15 Copy of Certificate in support of IEC certificate (as per Section V-Technical Specification).
- 3.16 Copy of the **GST registration** Certificate.
- 3.17 GMP certificate of the manufacturer in case of drugs .
- 3.18 The Original Tender Booklet with Conditions and the schedules signed by the tenderer at the bottom of each page with his official seal duly affixed.
- 3.19 Certificate in support of service center in Odisha or undertaking to set up service center in Odisha within one month from the date of installation if approved (for those who have no service centers in Odisha).
- 3.20 Copy of last three Years Income Tax Return.
- 3.21 Copy of PAN card.

N.B: Valid means the certificate should be valid on or beyond the date of opening of tender (Cover-A).

COVER – B (PRICE BID)

4. The price to be quoted for DRUGS,HOSPITAL EQUIPMENTS and CONSUMABLE should be sent in the prescribed price format in a separate sealed cover hereafter called **Cover “B” (Price Bid)**.

Cover –B (Price Bid) of the tenderers who qualify in it’s Technical Bid (Cover – A) and complies to tender specification & find to be as per technical specification and Product demonstration will only be opened .

- 4.1 The tender format (Price Schedule) in duplicate in the prescribed form (as per **Annexure – IX**), must be submitted in Cover-B. The price of the item should be quoted inclusive of excise duty, insurance, packing, forwarding, freight (door delivery). The price of turnkey job (accessories if any for installation), GST and other charges (if any) should be quoted in a separate column. The rate should be quoted for *each item* both in figures and words. **In case of difference in words and figures, words will be taken into consideration for evaluation.**
- 4.2 The Cover “B” of tenderers who qualifies in their technical bid, will only be opened at the office of the Chief District Medical Officer, Cuttack at a date & time which will be intimated to them by CDMO-CUTTACK..

REJECTION OF TENDER

5. The tender submitted by the bidder will be rejected, if any of the following documents are wanting / not submitted with the tender:
- (i) Import License (In case of Importer)
 - (ii) Manufacturer’s authorization in case of distributor/importer
 - (iii) Earnest Money Deposit (EMD).
 - (iv) Annual average turnover of the firm is Rs. **20 lakhs** or more in the last 3 (three) financial years (for bidders who are manufacturer/importer) or annual average turnover of **Rs.20 lakhs** or more in the last 3 (three) financial years (for bidders who are authorized distributors of the manufacturer) as per Annexure –VI. In case of authorized distributor, they will have to furnish along with their own turnover the Annual Average turnover statement as per Annexure–VI from the Manufacture/Importer of the item(s) as mentioned above.
 - (v) Valid ISO certificate of Manufacturer
 - (vi) Valid ISI / CE / US FDA/ IEC certificate of the manufacturer as per Section VI – Technical Specification.
 - (vii) Proof of supply/ installation of **25% of the required quantity** (executed directly by manufacturer or through distributor) of the

item(s)/similar items mentioned in the schedule of requirement to any Govt. Organization / Corporate Hospitals / PSU Hospitals / UN Agencies and certificate in support of that from the user during the last three years.

- (viii) Major deviations from the technical specification of the item(s) as per tender.
- (ix) Price bid / quoted rate with signature and seal (Hard Copy).
- (x) Copy of the GST registration certificate
- (XI) GMP certificate of the manufacturer in case of drugs .

EARNEST MONEY DEPOSIT

- 6.1 The amount of Earnest Money Deposit required is mentioned in the Section-II. The Earnest Money Deposit will be submitted in the shape of **demand Draft only** in favour of **Chief District Medical Officer, Cuttack** from any Nationalized / Scheduled Bank payable at **Cuttack**.
- 6.2 The EMD of the unsuccessful tenderers will be returned back without interest after placement of purchase order to the successful tenderer and EMD of successful tenderer will be returned after submission of performance security(ies).
- 6.3 The EMD will be forfeited if the tenderer withdraws its tender / furnish forged documents which is found during bid evaluation OR doesn't sign the contract / doesn't furnish performance security / doesn't supply the items (in case of successful bidder) within the stipulated time period.

TENDER CONDITIONS :

- 7.1 The details of the DRUGS, EQUIPMENTS & CONSUMABLE with specifications are mentioned in **Section VI. The firm must clearly mention their specification, special features, upgraded version (if any), detail technical catalogue of the offered model in their tender.**
- 7.2 Tenders should be typewritten or computerized and every correction in the tender should invariably be attested with signature by the tenderer with date before submission, failing which the tender will be ineligible for further consideration.
- 7.3 Rates inclusive of excise duty / customs duty, packing, forwarding, insurance, transportation charges and exclusive of **GST should be quoted for the** DRUGS, EQUIPMENTS & CONSUMABLE (*Item wise*). *The turnkey job (cost of accessories if any required for Installation/Commissioning) & GST should be mentioned in separate columns.* The rates quoted should be in **Indian Rupees only**. Rates quoted in any other currency will not be accepted.
- 7.4 The purchaser shall be responsible only after delivery and due verification, installation and commissioning of the item.

- 7.5 The rate per unit shall not vary with the quantum of order placed for destination point.
- 7.6 If there is difference between figures & words, words will be taken into consideration.
- 7.7 In the event of the date being declared as a holiday by Govt. of Odisha, the due date of sale, submission of bids and opening of bids will be the following working day at the scheduled place & time.
- 7.7 The price quoted by the tenderers shall not in any case, exceed the controlled price, if any, fixed by the Central / State Government / DGS&D and the Maximum Retail Price (MRP). The purchaser, at his discretion, will in such case, exercise the right of revising the price at any stage so as to confirm to the controlled price or MRP as the case may be.
- 7.9 The rate quoted and accepted will be binding on the tenderer for a period of **one year** from the date of approval of the rate contract and on no account, any increase in the price will be entertained till the completion of this tender period.
- 7.10 No tenderer shall be allowed at any time on any ground whatsoever to claim revision of or modification in the rate quoted by him. Clerical error / typographical error, etc. committed by the tenderers in the tender forms shall not be considered after opening of tenders. Conditions such as “ **SUBJECT TO AVAILABILITY**” / “**SUPPLIES WILL BE MADE AS AND WHEN SUPPLIES ARE RECEIVED**” etc., will not be considered under any circumstance and the tenders of those who have given such conditions shall be treated as incomplete and for that reason, shall be rejected.
- 7.11 If at any time during the period of rate contract, the price of tendered item is reduced or brought down by any law or act of the Central or State Government or the tenderer, the tenderer shall be morally and statutorily bound to inform the purchaser immediately about such reduction in the contracted price. The purchaser is empowered to unilaterally effect such reduction in rate, in case the tenderer fails to notify or fails to agree for such reduction of rate.
- 7.12 Approved rate with terms, conditions & the quoted price of the tender shall remain valid for a period of 12 months from the date of approval of the rate contract.
- 7.13 If the relevant documents / certificates which are required to be furnished along with the tender are written in language other than English, the tendering firm shall furnish English version of such documents / certificates duly attested by a Gazetted Officer / Notary with his seal and signature.
- 7.14 If any information or documents furnished by the tenderer with the tender papers are found to be misleading or incorrect at any stage the tender of the relevant items in the approved list shall be cancelled and steps will be taken to blacklist the said firm for three (3) years.
- 7.15 Rate should be quoted in Indian Currency, both in words and figures against each item as the payments will be made in Indian currencies only (Annexure-

- IX). The tenderer shall not quote the rate for any item other than the item specified in the list. (**Section V – Schedule of Requirement**).
- 7.16 Both Cover-A and Cover-B should have an **index and page number** of all the documents submitted inside that cover.
- 7.17 The GST will be charged as per the guidelines given by the Finance Dept., Govt. of Odisha from time to time. GST (as applicable) will be paid to the supplier. The component should be shown **separately** in the Price Schedule (as mentioned in the price schedule format)
- 7.18 The requirement of items may increase or decrease depending on the situation.

PACKAGING :

- 8.1 All the packaging should be New. The supplier shall provide such packaging of the goods as is required to prevent their damage or deterioration during transit to their final destination. The packaging shall be sufficient to withstand without any limitation including rough handling during transit, exposure to extreme temperature, salt and precipitation during transit and upon storage.

LABELLING :

- 9.1 The item supplied must be properly labelled with Sl. No., Model Name, Make & year of Manufacture

ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS:

- 10.1 The Purchaser reserves the right to reject the tenders or to accept the tenders for the supply of the item tendered without assigning any reason thereof.
- 10.2 The Purchaser will be at liberty to terminate the contract either wholly or in part without assigning any reasons thereof. The tenderers will not be entitled to any compensation whatsoever for such termination.
- 10.3 The **supply should be completed within 15 days** from the date of issue of purchase order. unless otherwise specified. If no supply is received even after 58 days with liquidated damage from the date of issue of the purchase orders , such orders will stand cancelled automatically without further notice. Penalties shall also thereafter be applied to the tenderer as specified in clause no. 21.1 to 21.2. The approved firm shall also suffer forfeiture of the EMD and Performance Security Deposit.
- 10.4 The tender inviting authority or his authorised representative (s) has the right to inspect the factory of those company who have quoted for the tender, before accepting the rate quoted by them or before releasing any purchase order (s) or at any point of time during the validity period of tender and has also the right

to reject the tender or terminate / cancel the orders issued or not to reorder based on the facts brought out during such inspections.

EVALUATION:

- 11.1 The price bid of the tenders who qualify in the technical bid fulfilling the eligibility criteria and complying to the technical specification shall only be opened.
- 11.2 The tender inviting authority may ask for demonstration of the item by the bidders at the premises of the tender inviting authority as a part of the technical evaluation before opening of price bid in order to verify the compliance to technical specification.
- 11.3 The rates of the item quoted by the tenderer who qualify technically will be evaluated after taking the following points into consideration: -
 - a) Rate of the Drugs,HOSPITALWARD EQUIPMENTS will be taken after inclusion of the excise duty / customs duty, transportation, insurance, packing & forwarding & comprehensive warranty for two (2) years & cost of turnkey (cost of accessories if any for installation/commissioning) but excluding GST.
 - b) The cost of the HOSPITALWARD EQUIPMENTS (excise duty / customs duty, transportation, insurance, packing & forwarding & comprehensive warranty for two (2) years but excluding GST.), cost of turnkey (cost of accessories if any for Installation & Commissioning with all taxes for turnkeys) will be added for evaluation.

TERMS OF PAYMENT :

- 12.1 No advance payments towards cost of DRUGS.HOSPITALWARD EQUIPMENTS & CONSUMABL or turnkey job will be made to the tenderer..
- 12.2 No claims shall be made against the purchaser in respect of interest on earnest money deposit or performance security deposit or any delayed payment or any other deposit.
- 12.3 Payments in shape of Draft / Pay Order will preferably be despatched to the supplier by Registered post with A.D or e-payment / on-line transfer or may be handed over to the authorized person of the supplier.

PENALTIES :

- 13.1 If the successful tenderer fails to deposit the required performance security within the time specified or withdraws his tender after acceptance of his tender owing to any other reasons or unable to undertake the contract, his contract will be cancelled and the earnest money deposit / performance security deposit shall stand forfeited by the purchaser.
- 13.2 Violating the tender terms and conditions & non supply / supply which is not as per technical specification will disqualify the firm to participate in the tender for a period of 2 (two) years from the date of issue of letter and his E.M.D & performance security deposit will be forfeited and no further purchase order will be placed to that firm for that item.
- 13.3 In the event of any dispute arising out of the tender, such disputes would be subject to the jurisdiction of the Civil Court of the concerned District or High Court of Odisha.

INSPECTION/TESTING :

- 14.1 The selected supplier shall have to arrange for demonstration of the item at the supply point. The purchaser or its nominated representative(s) shall inspect and test the items at the supply point to check their conformity to the specifications and other details incorporated in the contract.

CONDITIONS APPLICABLE TO LOCAL MSEs / SSIs OF ODISHA:

The MSE / SSI Units of the State of Odisha will be given the following preferences in the tenders provided they produce the following documents as per MSME Development Policy-2009 and IRP - 2007:

- 14.1 Permanent Registration Certificate (PMC) from the Director of Industries, Odisha or General Manager District Industries Centre that it is a MSE / SSI Units of the State of Odisha, provided that MSE / SSI units has not been derecognised by the Govt. for that specified period.
- 14.2 Local Micro & Small Scale Enterprises (MSE) and Khadi & Village industrial units including handloom and handicrafts will enjoy a price preference of 10% vis-à-vis over local medium and large industries as well as industries outside the State. Local Micro & Small Scale Enterprises having ISO, ISI,CE Certification for their product shall get an additional price preference of 3% as per provision of IPR-2007.

- 14.3 Local MSEs registered with respective DICs, Khadi, Village, Cottage and Handicraft Industries, OSIC, NSIC shall be exempted from payment of earnest money and if selected, shall pay 25% of the prescribed performance security deposit
- 14.4 Clause number 1 to 22 is also applicable to the Small Scale Industry Units of the State of Odisha.

SECTION –IV and v
TECHNICAL SPECIFICATIONS of ITEMS
SCHEDULE OF Drugs, EQUIPMENTS & CONSUMABLES

Teaching Learning Materials for EI/Remedial Therapy & Special Education (DEIC)				
Sl No.	Name of the Item	Quantity	Purpose	Specification
1	Therapeutic Mat	30 Pcs for one room & Play	Sitting & Structure environment for effectively perform & response	30 Pcs of 4 pair of coloured mat
2	Wooden cup board (SLF 7)	1	For storage of TLM & other for develop independent skills of children (motor)	60.0 X 45.0 X 80.0 cmsize, weight 25.1 Kg
3	Follow the patterns (ELWI)	2	Visual perceptual & cognitive development	30 X 30 X 7 cm
4	Peg Board big(Gs119)	1	Fine motor & Concentration development	80 Pegs in the wooden board
5	Shape & Slot box(ELS 5)	1	Cognitive skill enhancement	16 X 13 X 3 cm, weight 770g
6	Picture dominos (ELS 4)	1	Cognitive enhancement	9.5 X 5.5 x 0.3 cm, Weight 630gm
7	Find the sequences (ELS 3)	1	Cognitive & Language enhancement	7.5 X 7.5 X 0.5cm, weight 1050gm
8	Advance Shape Stackers (ELS 7)	1	Cognitive & Language enhancement	40 X 7.5 cm, Weight 370gm
9	Grade & Stack squares (ELS 12)	1	Math skill develop, cognitive	13 X 13 X 18.5cm, weight 1160gm
10	Match number & quantity, opposites, animals (ELFM8, ELFM9, ELFM13)	1 set each	math & cognitive enhancement	13 X 7.5 X 0.5 cm, 470gm 13 X 7.5 X 0.5 cm, 660 gm 13 X 7.5 X 0.5 cm , 690gm
11	Build ties (ELB3)	1	Cognitive, motor & perceptual skills	15 X 15 X 0.4 cm to 3 X 3 X 0.4 cm, 1500gm
12	Build block (ELB4)	1	Cognitive, motor & perceptual skills	15 X 3 X 3 cm to 3 X 3 cm, 3650gm
13	Our helpers (ELKA4)	1	Life skill	13 X 16 X 0.3 cm, 1080gm
14	Clock (ELKA5)	1	Time Concept	28 X 31 X 6 cm, 1010gm
15	Sound Boxes(5010)	1	Play	Various boxes of 1 set
16	Theatre	1	Play & Learn	Wooden stage with puppet
17	Triangle market	1	Math	Various size of triangles
18	Exercise Board	1	Concept & act of fitness	
19	Animals & home (ELFM5)	1	matching, preacademic & cognitive	13 X 7.5 X 0.5 cm, weight 680gm
20	Touch Boards (EMS13)	1	To feel difference of texture	24 X 11.8 X 0.8 cm, weight 560gm
21	Touch Boards (EMS14)	1	To feed difference of texture	24 X 11.8 X 0.8 cm, weight 520gm
22	Baric tablets (EMS 16)	1	To pair identically weighing	8 X 7.5 X 0.5 cm,

			plagues	900gm
23	Mastery Bags (EMS 17)	1	To pair identical shapes	3 x 3 X 3 cm, 320gm
24	Set of Knobless	1	To arrange cylinders in order accordingly sizes	5.5 dia 5.5 cm ht
25	Geometrical solid shapes (EMS 19)	1	To observe basic shapes	6 X 6 X 10 cm, 2116gm
26	Number Rods (EMA 1)	1	To count partition and arrange rods in order of ascending quantity.	100 X 25X 2.5 to 10 X 2.5 X 2.5 cm , 3930gm
27	Spindle Box	1	To count spindle and place in right partition of box	49.5 X 16.5 X 4.3 cm 908gm
28	Sand paper number	1	To feel shape of number finger	9.8 X 7.7 X 0.3 cm, 296gm
29	Arithmetic material	1	To observe value of unit, ten, hundred and thousand	33 X 12 X 7 cm, 708gm
30	Arithmetic material (EMA 5)	1	To make quantity of unit, ten, hundred and thousand	35.5 X 12 X 7 cm, 1224gm
31	Ten board & bead box (EMA 6)	1	To make tens in numbers & quantity in golden beads	7 X 7.5 cm, 1560gm
32	3000 cards (EMA)	1	To make desired quantity till 3999 in figures	unit plate size 3 X 4 cm, 740gm
33	9000 cards (EMA 9)	1	To make desired quantity till 9999 in figures	3 x 4 cm, 650gm
34	Golden chain of 100 (EMA 10)	1	To count till 100 & use arrow	3.5 X 0.6 cm, 120gm
35	Coloured bead stair (EMA 12)	1	To use for any counting 1-9 quantity	10 x 70 X 5.5 , 90gm
36	Addition snake game (EMA 16)	1	To do addition with bead materials	2.8 X 1.2 cm, 380gm
37	Multiplication snake game (EMA 16)	1	To do multiplication with bead materials	28 X 10 X 5 cm, 520gm
38	One to ten printed cards (EMA 19)	1	To use for any counting from 1 to 10	10 X 7 X 5.5 cm, 120gm
39	sand paper alphabet capital letters (EML 1)	1	To trace rough part & say the sound of letter	14.7 X 9.6 X 0.3 cm, 1430gm
40	Sand paper alphabet small letters (EML 2)	1	To trace rough part & say the sound of letter	13 X 13 X 0.3 cm, 1310gm
41	Sand paper phonograms letters (EML 3)	1	To trace rough part & say the sound of phonogram	17 x 14.1 X 0.3 cm, 1124gm
42	Sand paper alphabetcursive small letters (EML 4)	1	To trace rough part & say the sound of letter	14.8 X 13.2 X 0.3 cm, 1584gm
43	Exercise of practical life material wooden empty trays (EMEPI)	1	For storage of TLM & other for develop independent skills of children (motor)	40 X 30 X 4.2 cm, 1525gm
44	Napkins (EMEP 2)	1	To fold napkins as per given guideline	27 X 27 cm, 490gm
45	Large button frame (EMEP 3)	1	To tuck large button	24.5 X 26 X 2 cm, 254gm
46	Medium Buttons frame (EMEP 4)	1	To tuck medium botton	24.5 X 26 X 2 cm, 238gm
47	Small Buttons frame (EMEP 5)	1	To tuck small botton	24.5 X 26 X 2 cm, 252gm
48	Zipper frame (EMEP 7)	1	To tuck Zip	24.5 X 26 X 2 cm,

				240gm
49	Buckles frame (EMEP 8)	1	To tuck buckless	24.5 X 26 X 2 cm, 280gm
50	Hook & Eye frame (EMEP 9)	1	To tuck hook and eye	24.5 X 26 X 2 cm, 240gm
51	Lace Frame (EMEP 10)	1	To tie lace	24.5 X 26 X 2 cm, 236gm
52	Vellro frame (EMEP 11)	1	To tuck vellro	24.5 X 26 X 2 cm, 270gm
53	Ribbons frame (EMEP 12)	1	To tie ribbons	24.5 X 26 X 2 cm, 260gm
54	Art & craft animal (ELAC 4)	1	Enjoy colouring animals cutouts	25 X 17.5 X 1 cm, 80gm
55	Pentagone dairy (ELSC 13)	1	Enjoying colouring your own mooden diary cover	19 X 16 X 2.5 cm, 120gm
56	Hand gloves puppet of animals (ELD 7, 8,31,32,20,15)	6	To performing story, rhyme	100gm each
57	Thumkin (ELD 52, 37, 38, 39, 40, 42, 43)	7	Various role and emotional expression	40gm, 55gm
58	Lace on animals, on shoe, on shapes(ELL 10, 11, 12)	3	Lace on the board	21.5 X 9.5 X 10.5 cm, 400gm, 620gm, 550gm
59	Number Train (ELCP 1)	1	Enjoy making train form part	137.5 X 11 X 0.5 cm, 750gm
60	Coircle, rectangle, trangle	3	Let's complete picture	17 X 17 X 0.75 cm, 90gm 18 X 13 X 0.75 cm, 90gm 17 X 17 X 0.75 cm, 100gm
61	Summer, garden, beach, winter (ELCP 34, 35, 36)	5	Let's complete complex picture	30 X 20 X 0.75 cm, 285gm
62	Follow the patterns, patterns writing, number tracking, upper case, lower case	5	writing skill	34.5 X 24 X 0.8 cm, 200gm
63	Flash cards (fruits,vegetables, flowers, birds, animals, domestic, wild, vehicle, body parts, family, shapes, colours, first aid	13 set	Academic	Each set of flash cards
64	First aid box, dressing & grooming kitchen set, box	4	Practical life	Each one set
65	Balack board, white board (small), chalk, markers, note book, pen, pencil, crayon, water colours, A4 bundles	6	Academic	Each one set
66	Day & night, calenders, clock, months chart, session chart, duster, pic, eraser	5	Time Concept	Each one set
67	Ball 100pc & bucket (big)	100 ball,	Play & motor	Multi coloured

		1 bucket		100 balls & one big bucket
68	Picture books (all in one, profesional, various environment, prepositions etc.)	5	Life skill	50 pages of each book
69	Bell, ring bells, whistls, car, round box (montessori)	4	Language of auditory	Various sound making toys
70	Printing box, brush, sponge etc.	4	Fine motor	Various things for painting
71	Story sequences, (PH 151, 152, 153)	3	Language	Various set of stories
72	Music system-1 & rhyme-5, story-5 & life skill-5 DVD, Mantra DVD, Gayatri	1+5+5+5+1	Language, visual perceptional skills	One music system with DVDs
73	Therapeutic light (multiple), touch	1+1	Visual perceptual skills, eye contact, attention, concentration etc.	Multi coloured light & touch
74	Bells, tread & container	3	Eye hand interaction	various size of beads & big container
75	Wooden or plastic chair	2		10 inch & 13.5 inch
76	Wooden Table	1		
77	Slide, tunnel, swing, door mat		For playing	

List of Physiotherapy Equipment to be Purchased for DEIC

SI No	Name of the Equipment	No. of Sets/Units
1	Spiky GYM Ball	1
2	Rowing	1
3	Parralal Bars (Paediatric)	1
4	Weight Cuffs (Paediatric)	1
5	Weight & Puller Exercise (Paediatric)	1
6	Ankle Excerciser (Paediatric)	1
7	Shoulder Wheel (Paediatric)	1
8	Fore-Arm-Excerciser (Paediatric)	1
9	Weighted Vest	1
10	Tilt Table (Paediatric)	1
11	Multi Gym (Paediatric)	1
12	Wrist Roll (Paediatric)	1
13	Grip Excerciser (Paediatric)	1
14	Floor Ladder (Paediatric)	1
15	Wrist Circumductor (Paediatric)	1
16	Knee Hammer (Paediatric)	1
17	Depth Perception Peg Board	1
18	Treatment Cuff (6X4X2, 6X4X1)	1

19	Height adjustable Walker and Rollator	1
20	Standing Frame (Paediatric)	1
21	Nirmals Hand table apparatus (Paediatric)	1
22	CP Chair (Paediatric)	1
23	Corner Seat (Paediatric)	1
24	Crawler (Paediatric)	1
25	Staircase (Paediatric)	1
26	Beach Ball with different sizes(Paediatric)	1
27	Peanut Ball with different sizes	1
28	Electrical Stimulator	1
29	Therapeutic Ultrasound Machine (Paediatric, Double Headed)	1
30	Bolster	1
31	Oromotor Skill Kit	1
32	Auditory Intigration Kit	1

List of Drugs :

1. Hydroxyzine Syrup -10mg.
2. Hydroxyzine Tablet -25mg
3. Fusidic acid/cream/ointment- .
4. Hydrocortisone cream/Gel/Ointment
5. Vitamin D: Cholecalciferol granules as sachets

N.B: The quantity of requirement may vary as per the requirement during the rate contract period.

SECTION –VI

ANNEXURES

(Technical Bid, Price Bid and Agreement)

CHECK LIST
(To be submitted in Cover A Technical Bid)

Note : The documents has to be arranged serially as per the order mentioned in the check list

Please put ✓ in the respective box

COVER – A (TECHNICAL BID) DOCUMENTS : SUBMITTED OR NOT

1.	List of Item (s) – Annexure II	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
2.	Tender document Fee	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
3.	Earnest Money Deposit	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
4.	Details of Manufacturing Unit / contract person Liaisoning agent / servicing centre (Annexure III)	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
5.	Declaration form (Annexure -IV) signed by the Tenderer & affidavit before Notary Public / Executive Magistrate	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
6.	Manufacturer’s Authorization Format (Annexure – V) (for distributor/Importer) (Item wise)	Page <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
7.	Proof of avg. Annual turnover for preceding 3 financial years (for manufacturer / Importer) / Proof of Annual turnover for preceding 3 financial years (for authorized distributor as well as manufacturer/Importer in case of distributor) (Annexure - VI)	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
8.	Performance Statement (<i>Item wise</i>) during the last three years (Annexure -VII)	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
9.	Copies of Purchase order (<i>Item wise</i>) in support of the performance statement	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
10.	Deviation/No deviation Statement (<i>Item wise</i>) & details of technical specification (Annexure -VIII A & B)	Page No <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>
11.	Leaflets/Technical Brocheures of the Products offered (<i>Item wise</i>)	Page No. <input type="text"/>	Yes <input type="checkbox"/>	No <input type="checkbox"/>

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

- | | | | |
|--|-------------|-----|----|
| 12. Copy of Import license (In case of Importer) | Page
No. | Yes | No |
| 13. Copy of Valid ISO Certificate | Page
No. | Yes | No |
| 14. Attested Photocopy of Up-to-date
CE / US FDA/BIS Certificate (<i>Item wise</i>)
(As per technical specification) | Page
No. | Yes | No |
| 15. Attested Photocopy of Up-to-date
IEC Certificate (Item wise)
(As per technical specification) | Page
No. | Yes | No |
| 16. Photocopy of PAN | Page
No. | Yes | No |
| 17. Photocopy of GST registration | Page
No. | Yes | No |
| 18. Copy of original Tender and schedules, duly
signed by the Tenderer | Page
No. | Yes | No |
| .19. GMP Certificate of the manufacturer in case
of drugs | Page
No. | Yes | No |

Annexure II
(Refer Clause No. 3.2)

(To be submitted in *Cover A -Technical Bid*)

LIST OF ITEM(S) QUOTED

Sl.	Name of Item(s)	Name of Manufacturer	Make	Model Name	*Details of offered product at Page No. (s)

Signature of the Tenderer :

Date :

Official Seal:

Annexure IIA

(To be submitted in *Cover A -Technical Bid*)

DETAILS OF EMD(S) SUBMITTED

Sl.	Name of Item	EMD Amount (Rs.)
1	Drugs, Equipment & Consumable	
	TOTAL (Rs.)	

Signature of the Tenderer :

Date :

Official Seal:

ANNEXURE – III
(Refer Clause No. 3.5)

(To be submitted in *Cover A -Technical Bid*)

**DETAILS OF THE TENDERER & LOCAL CONTACT PERSON/
SERVICE CENTRE**

	Corporate Office (The address in which the purchase orders and payment details will be communicated)	Address of Local Contact Person / Branch Office / Zonal Office / Address of Service Centre if any, in Odisha.
Name & Full Address		+
Telephone Nos., landline		
Mobile		
Fax		
E – Mail		
Date of Inception	(Copy of Certificate of incorporation of Manufacturer)	
Name of the issuing authority		
Import License (in case of Importer only)		
GST validity	(Furnish photocopy of GST)	
GST return Copy	(Monthly/Quarterly (3B & GSTR-1))	
PAN	(Furnish photocopy of VAT)	
Details of the Service Centre Facilities		

**Signature of the Tenderer :
with seal**

Date :

Official Seal :

ANNEXURE – IV

(Refer Clause No. 3.6)

(To be submitted in *Cover A -Technical Bid*)

DECLARATION FORM

I / Wehaving
My / ouroffice
at.....do declare that I / We have
carefully read all the terms & conditions of tender of the _____, Odisha for the
supply of DRUGS,HOSPITALWARD EQUIPMENTS & CONSUMABLE . The approved
rate will remain valid for a period of one year from the date of approval. I will abide with **all
the terms & conditions** set forth in the **Tender Reference no.** _____

I/We do hereby declare I/We have not been de-recognised / black listed by any State
Govt. / Union Territory / Govt. of India / Govt. Organization / Govt. Health Institutions for
supply of Not of Standard Quality (NSQ) items / non-supply.

I/We agree that the Tender Inviting Authority can forfeit the Earnest Money Deposit
and or Performance Security Deposit and blacklist me/us for a period of 3 years if, any
information furnished by us proved to be false at the time of inspection / verification and not
complying with the Tender terms & conditions.

I / We do
hereby declare that I / we will supply the _____ as per the terms, conditions &
specifications of the tender document. I / we further declare that I / we have a service centre /
will establish a service centre within one month of installation of the item in Odisha.

Signature of the bidder :

Seal

Date :

Name & Address of the Firm:

Affidavit before Executive Magistrate / Notary Public.

(To be submitted in *Cover A -Technical Bid*)
MANUFACTURER’S AUTHORISATION FORMAT

To

The Chief District Medical Officer,
DISTRICT HEAD QUARTER HOSPITAL, -,
CUTTACK -1, Odisha.

Ref: Tender No. _____ Dated _____ for _____.

Dear Sir,

We, ----- are the manufacturers of -----
----- (name of item(s) and have the manufacturing factory at -----
-----.

1. Messrs ----- (name and address of the agent) is our authorized distributor for sale and service of ----- (name of item(s))
2. We confirm that **no supplier or firm or individual other than Messrs-----**
----- (name of the above distributor) is authorized to submit a tender and enter into a contract with you for the above goods manufactured by us.

Yours faithfully,

(Signature with date, name and designation)

For and on behalf of Messrs -----

(Name & address of the manufacturers)

Seal

Note :

1. This letter should be on the *letterhead* of the *manufacturer* and should be signed by a person having the power of attorney to legally bind the manufacturer.
2. Original letter shall be attached to the technical bid.

(To be submitted in **Cover A -Technical Bid**)

ANNEXURE – VI

(Refer Clause No. 3.8)

(To be furnished in the **letter head** of the Auditor/ Chartered Account)

ANNUAL TURN OVER STATEMENT

The Annual Turnover for the last three financial years of M/s _____ who is a Manufacturer /Distributor/Importer (*Pl. tick whichever is applicable*) are given below and certified that the statement is true and correct.

Sl.No.	Financial Year	Turnover in (Rs.)
1.	2015 – 2016	-
2.	2016 – 2017	-
3.	2017 – 2018	-

Average Annual Turnover (for the above three years) in **(Rs.)** _____

Date:
Place:

Signature of Auditor/
Chartered Accountant
(Name in Capital)

Seal

Membership No.-

Registration No. of Firm

Note:

- a) To be issued in the **letter head** of the Auditor/Chartered Accountant mentioning the Membership no.
- b) **Separate certificates** should be furnished for **different manufacturer/importer** in case the bidder (authorized distributor) is quoting products of **different manufacturers/importers**. The authorized distributor has also to furnish his turnover statement in the above format.

(To be submitted in *Cover A - Technical Bid*)

Annexure VII (Refer Clause no. 3.9)

PROFORMA FOR PERFORMANCE STATEMENT

(For the period of last **three years**)

ITEM WISE (Pl. Furnish separate performance statement itemwise if the bidder quote for more than one item & attach the order copies alongwith each performance statement)

Tender Reference No. :

Name of Tenderer :

Name of Manufacturer :

Name of the Item : _____

Sl.	Order placed by (Address of purchaser) (attach documentary proof)*	Order no. & Date	Item Name	Make & Model	Qty	Value of Contract (Rs.)	Date of Completion		Reasons for delay if any	Have the goods been functioning satisfactorily (attach documentary proof)**
							As per contract	Actual		
1										
2										
..										
..										
			Total Qty							

Signature and seal of the Tenderer

- * The documentary proof will be **copies of the purchase order** (during the last 3 years) indicating Contract No. and date along with a notarized certification (by the bidder) authenticating the correctness of the information furnished.
- ** The documentary proof will be certificate from the consignee/end user indicating Contract No. and date along with a notarized certification (by the bidder) authenticating the correctness of the information furnished.

To be submitted in *Cover A -Technical Bid*)

Annexure VIII A
(Refer Clause No. 3.10)

STATEMENT REGARDING DEVIATIONS FROM TECHNICAL SPECIFICATIONS (IF ANY)

Following are the Technical deviations and variations from the purchaser's Technical Specifications.

Sl. No.	Item Name	Clause of Technical Specification	Statement of Deviations / Variations if any
1			
2			
..			
..			
..			

In case there is no deviation from technical specification, Pl. Mention *No Deviation*.

Signature of the Bidder

Name :

Date :

Place :

Seal

(To be submitted in *Cover A -Technical Bid*)

Annexure VIII B
(Refer Clause No. 3.10)

DETAILS OF TECHNICAL SPECIFICATION OF THE PRODUCT (S) OFFERED BY THE BIDDER

Sl. No.	Item Name	Make	Model	Detail Specification of the product(s) offered* (Pl. Describe the detail specification of the product offered) – Para wise compliance to the technical specification asked for.
1				
2				
..				
..				
..				

* Leaflets/Technical Brocheures of the product offered must be attached in support of the information provided above.

Signature of the Bidder

Name :

Date :

Place :

Seal

ANNEXURE

(To be submitted in COVER B - PRICE BID)

233 ✓

1-Therapeutic Ultrasound Machine

NAME AND CODING

GMDN name-Therapeutic Ultrasound Machine

Definition-Ultrasound is a method of stimulating the tissue beneath the skin's surface using very high frequency sound waves, between 800,000 Hz and 2,000,000 Hz, which cannot be heard by humans. Therapeutic ultrasound in physical therapy is alternating compression and rarefaction of sound waves with a frequency of >20,000 cycles/second

GENERAL USE

1.1-Clinical purpose For treatment of painful conditions involving the musculoskeletal and neuromuscular structures

1.2-Used by clinical department/ward-It is used in physiotherapy, neurology, trauma care .

1.4-Overview of functional requirements-

--

TECHNICAL

2-TECHNICAL CHARACTERISTICS

- It should be double frequency ultrasound machine.
- Modes of operation should be in continuous and pulsed
- It should have at least in 4 different settings for Pulse ratio.
- Maximum output 2.5-3 watts/Sq.cm.
- Output frequency 1 MHz and 3MHz
- Treatment time should be adjustable from 0-99 minutes
- Automatic alarm should be their on completion of the treatment.
- Digital LCD display to indicate the output in w/cm² and other required services.
- .All settings should be provided using keys/touch panel.
- Both the transducer should be high quality water resistant (minimum IPX 5)
- The beam type :Divergent/Collimated
- Transducer :The Effective radiating area should be of 0.5 to0.8 for 1MHz and 0.4 to 0.6 for 3MHz.
- The BNR for both the transducer should be 4-6.

2.2-Settings-Treatment time,frequency selection,pulse ratio etc.

2.3-User's interface-manual

2.4-Software and/or standard of communication(whenever required)-inbuilt.

3-PHYSICAL CHARACTERISTICS

3.1-Dimensions (metric)-Stand alone

3.2-Weight (lbs, kg)-<5kg

3.3-Configuration-NA

3.4-Noise (in dBA), heat dissipation-NA

3.5-Mobility, portability-Table top

Bishnu

Sunita Nanda

Sonalie Patra

24

200



200

- 4-ENERGY SOURCE (electricity, UPS)
- 4.1-Power Requirements-NA
- 4.2-Battery operated-NA
- 4.3-Tolerance (to variations, shutdowns)-NA
- 4.4-Protection-NA
- 4.5-Power consumption-NA
- 4.6-Other energy supplies-NA
- 5-ACCESSORIES, SPARE PARTS, CONSUMABLES
- 5.1-Accessories (mandatory, standard, optional)-
- 5.2-Spare parts (main ones)-
- 5.3-Consumables / reagents (open, closed system)-

6-ENVIRONMENTAL AND DEPARTMENTAL CONSIDERATIONS

- 6.1-Atmosphere / Ambiance (air conditioning, humidity, dust ...)-
Operating condition: Capable of operating continuously in ambient temperature of 0 to 50 deg C and relative humidity of 15 to 90% in ideal circumstances. an ambient air velocity is less than 0.3 m/s.
- 6.2-User's care, Cleaning, Disinfection & Sterility issues-Complete unit to be easily washable and sterilizable using both alcohol and chlorine agents.

7-STANDARDS AND SAFETY

- 7.1-Certificates (pre-market, sanitary, ..);Performance and safety standards (specific to the device type); Local and/or international
 - ISO 13485;Manufacturer / supplier should have ISO certificate for quality standard. Should be USFDA / CE(notified) approved product or BIS certified
 - Safty standard to meet IEC 60601

8-TRAINING AND INSTALLATION

- 8.1-Pre-installation requirements: nature, values, quality, tolerance-Supplier to perform installation, safety and operation checks before handover.
- 8.2-Requirements for sign-off-Certificate of Calibration and inspection from the factory.
- 8.3-Training of staff (medical, paramedical, technicians)-Training of users in operation and basic maintenance shall be provided

9-WARRANTY AND MAINTENANCE

- 9.1-Warranty-1 year.
- 9.2-Maintenance tasks-maintenance manual detailing complete maintaining schedule
- 9.3-Service contract clauses, including prices-
- 9.4-Others-

10-DOCUMENTATION

- 10.1-Operating manuals, service manuals, other manuals-Required
- 10.2-Other accompanying documents-Demonstration CDs
- 10.3-Recommendations for maintenance-NA

11-NOTES

- 11.1-Service Support Contact details (Hierchy Wise; including a toll free/landline number)-NA
- 11.2-Recommendations or warnings-NA

Bekishare

Sunita Nanda
Sonal Patra

2



2. Rowing

- The rowing machine should be operated by the patient of age group 3-9 years.
- It should be a multifunction type for building of strength of the children.
- It should be self propelled type for providing low or no impact on the patient.
- Provided with elastic rope with adjustable resistances of minimum 3.
- Its design should be play and colourful type to attract the children's.
- The item should have foam based padding to cover the steel frames for safe use of the children.
- Manufacturer should be ISO certified.

3-Parallel Bar

Technical Specification

- The parallel bar should be a height adjustable, plat form based one which should be very simple for easy accommodation of multiple patients of age group 2-6years..
- The handrails should be in single piece, circular in design stainless steel pipe of minimum diameter 1 1/2".
- Both the end of the handrails should be fitted with bumpers.
- The Uprights should be made of heavy gauge square 1 1/2" steel tubest.
- All parts should be powder-coated.
- The uprights are to be fitted on a 1 1/2" thick hard plywood base. Both end of this platform should be UV curved for obstruction free. The platform should be stain finish. Both the end of the plat form should have two anti slip threads for non skidding.
- Safety treads at both ends of platform should be provided for safety of the patient when take turn.
- Models make it safer for patient to turn

Minimum dimension of the structure :

- Length of the bar: 10feet
- Width of the bar: 25" – 28"
- Height adjustment of the Bar: 26" – 39"
- The manufacturer should be ISO 13485 approved.

4-Weight Cuff

- One pair of Wrist Weights for age group of 3-6 years.
- The Weight of Wrist Weight should be of 500gms-2 kg of adjustable weights.
- The weight should be covered in a soft, durable material.
- It should be completely latex free.
- It should be Easy and effective way to exercise the arms
- It should be Simple to fasten for total user comfort
- It should also be worn around the ankle
- Manufacturer should be ISO certified.

Bushone

Surita Nanda

Sonali Patra

an

5-Multi propose Exercise Chair (Weight and Puller Exerciser)

Should be Specifically designed chair for multi exercise facility.
The unit should be used for the age group of 6-18 years.
Made of ubular steel constructed chair of 100 cm long x 65 cm wide approximate.
The chair should be fitted with overhead bar that extends out 80cm from the frame.
The chair with two stabilizing straps, three handles two foot straps, ropes with pulleys and overhead pulley system can be used for variety of exercises involving Reciprocal Motion for Elbow, Shoulder, Knees and Hips; Active Quadriceps and Hamstrings Stretching; Resistive and Assistive exercises.
A set of Ten locking weights should be provided for graded resistance for all exercises
The unit should not have any sharp edges.
The manufacturer should be ISO certified

6- Ankle exerciser

- It should be useful for the ankle exercise for the age group of 6-18 years who has injury and/or weakened ankles.
- Design with a painted aluminium boot with strap.
- The boot should be mounted on a laminated stainless steel sheet bracket having two springs for ankle.
- The resistance can be increased further by tightening spring's nut.
- Degree of flexion can be measured and recorded.
- Manufacturer Should be ISO certified

7-Shoulder Wheel

- It should be a wall mounted one.
- The wheel for use of age group 6-18 years.
- The motion arc can be adjustable from 10 to 38 inches by adjusting the handle.
- The wheel shall be mounted on a two chrome plated height adjustable (8" to 26") rails.
- The resistance can be varied by turning the resistance knob.
- The manufacturer should be ISO certified

8-Fore- Arm Exerciser

- Adjustable Hand Grip Exerciser shall be Ideal for early stages of rehabilitation
- The fore Arm Exerciser for use of age group 5-18 years
- It should be ideal for hand, finger, wrist or arm exercises
- The tension can be increased or decreased as per the user turning the adjustment knob.
- The tension range can be set at any level between **0.5kg-5kg allowing** the tension to be steadily increased as the user regains strength.

9-Rope LADDER

- For Age group from 3-12 years.
- Indoor/outdoor 10-foot rope ladder
- Smooth-sanded maple-wood rungs
- Sturdy rope of 10ft
- Don't need hardware to hang
- Holds up to 125 lbs

Prasanna
Sunita Nanda
Sonalie Patra
D

229

- Child can scale the side of a castle, mountain, or ship with this ladder
- Manufacturer Should be ISO certified

10-PEDIATRIC TREADMILL

The Paediatric Treadmill should be used from the age of 4 years and up to 12 years old. Specialize application for rehabilitation and longitudinal testing of young children with chronic diseases.

Specifications

- The treadmill should includes control unit of inbuilt programmable protocols.
- Elevation: 0 to 25 %
- Rehab speed: 0.1 to 12 km/h.
- start speed 0 km/h
- Standard running surface: 120 x 50 cm
- Standard pre-programmed protocols: Bruce & Balke
- Maximum patient weight: 100 kg
- Emergency stop: with magnetic lanyard
- Low noise level
- No belt-greasing required
- Soft surface
- Operates on 220 volt

11-Tilt table

- It should function like a motorized table with vertical to horizontal tilt is achieved with an easy-to-turn by crank mechanism.
- Crank is angled to provide leverage for maximum lifting efficiency.
- The table should have three positioning straps for security on raising the patient.
- Latex free
- Should have minimum 30" wide surface with an extra-wide footboard (20"W x 18"D),
- Minimum 2"-thick high-density (40) foam/Moulded foam padding.
- Made of heavy-duty steel frame with vinyl upholstery.
- . Surface area: 28"W x 78"L x 33"H. approximate
- The manufacturer should be ISO certified

12-Multi Gym (paediatric)

- Multiple Exerciser multi gym system for fitness as well as therapy.
- It should have facility for exercises for Chest Extension, High Pull, Low Pull, Rowing, Peck-Deck, Leg Extension Etc
- Easy To Use, Space Saving, No-Cable-Change Design
- The frame work should be made of good quality material with smooth finish (no sharp edges).

Balishore
Sunita Nanda
Sonali Patra

2

- It should be easy to use, space saving and there should not be any cable to change in design.
- The Product may be delivered in two or three Parcels for Heavy Products

12-Standing Unit

The unit should be a vertical sander.

The unit should be provided with four points of support for e therapeutic benefits of standing and places children at peer level.

Minimum Features:

1. Height-adjustable Chest, Pelvic & Knee supports.
 2. Adjustable foot restraints.
 3. Detachable rimmed tray for activities.
 4. Chrome-plated uprights fitted on non-slip matted foot board.
- The unit should be finished with multiple colours to attract the child.

The manufacturer should be ISO certified.

13-Wrist Roll for children use:

Unit should consist of double hand grips, rope and weight of minimum .5kg.

14-Grip Exercise: Grip exerciser tool for kids only.

15-Floor Ladder

- It should be used for improvement of acceleration, lateral speed and change of direction
- It should be used for development of the core skills necessary to enhance balance, rhythm and body control
- The ladder should be of 15 feet long with 11 heavy-duty plastic rungs for high-intensity training
- The ladder should be made of thick, rugged, nylon straps and are sewn in place so that the rungs on the ladder don't move even when you bump into them repeatedly.
- The ends of the ladder should have strong double-reinforced D-rings to keep ladder staked and in place on grass surfaces.
- Includes carry bag for easy portability

16-Wrist Circumductor

- A iron wheel mounted on a laminated wooden base has a small Adjustable handle fitted to the wheel.
- A knob shall be provided at back of the wheel to control resistance 0 to maximum.

P. Sushore

Swita Nanda
Sonalie Patra

2

- Hollowed foam Padded platform fitted with two straps to hold arm and is fitted over the base in front of the wheel for wrist circumduction

16-Tunnel

- It should be used for both indoor and outdoor.
- It should be made of nylon fabric flame retardant.
- It should be Sturdy, spring steel construction
- Fun for developing cooperative play
- Great for muscle development
- Stimulates the imagination for creative playtime
- Padded interior system for more comfortable playtime
- Wipes clean with a damp cloth
- Size: 6'L x 9" diameter

17-Knee hammer

18-Depth perception peg board

It should be used for Stimulating the depth perception and eye-hand co-ordination on two levels.

Board is 30cm square and have 25 holes of 12mm dia.

The board comes with 21 solid of two colours of red and green pegs to place in. The top level of the peg should be clear made of transparent plastic and the base should be made of poly wood

19-Treatment Coll

20-Parallel bar fitted with mirror

21-Standing frame

22-Height adjustable Walker and rollator

- Approximate user height: 4'10"-6'1"
- Height adjustments: Seat height: 18"-22", Handles: 29.5"-38"
- Includes seamless padded seat and zippered carry pouch
- Loop-lock brakes
- Removable, hinged, padded backrest
- Ergonomic handgrips
- Weighs: 14 lbs.
- Weight capacity: 300 lbs.

Bushone

Surita Nanda

Sonali Patra

21

23-Complete thera band package

The thera band CLX with Easy Grip Loops™ provides multiple unique grip options that enable thera band to enable multiple exercises like open and closed hand grips, holding objects with resistance, no-grip-required exercises, simultaneous upper and lower body work.

Made of latex free, patent pending CLX - Consecutive Loops.

The package should be consist of : Three 5-foot pieces of Yellow (light). Red (medium) & Green (heavy) Resistance

24-Nirmals Hand table apparatus

Hard-wood table with laminated top is fitted with Pulleys, Leather loops, Nylon cord & Weights for Fingers, Hand, Wrist & Forearm exercises. Especially for Metacarpophalangeal / Interphalangeal joints. Also provided with Supinator / Pronator & Wrist-Circumduction wheel for Wrist exercises.

TECHNICAL SPECIFICATION:

Table: Hard-wood table with laminated top

:Size; 24" x 30" x 30" high.

:Natural wood polish Finish.

Pulleys: 6 (Six) Nylon pulleys, fitted in Steel Frame with Powder coated finish.

:12 leather Loops with Nylon cord that passes through the Pulleys.

Weight Hangers: Six, Weight Hangers with Pulleys underneath the Table to hang weights.

Weight: Five sets, each set consists of 5 Sets weights of one each of 100, 200, 300, 400 and 500grams. Weights with a hole to hang, have Chrome finished.

Finish: Metal parts with Powder coating finish.

25-Corner seat

- Corner chairs assist with visual scanning, breathing, eating, and development of arm mobility; they are ideal for children who lack postural control of the head, neck, or trunk.
- The back of the chair is V-shaped rather than straight, and the seat can be lifted or lowered. A raised seat promotes thigh alignment, reducing both tightness in the hamstrings and spasticity in spinal and pelvic alignment.
- A lowered seat allows the child to relax with legs extended.
- Corner chairs shall have rectangular cushions that are placed between the distal femurs to ensure hip alignment. Provided with the seatbelt to prevent the child from sliding or pushing out of their chair.
- The diamension should adequet for seating a children from 1-6years of age.

26-Musical toys, Drawing board, Cryons, Pleistone, Rods and beads, Colored blocks, Post office box for KIDS use one .to be provide as one kit.

Bushora

Sunita Nanda

Sonali Patra

[Signature]

27-Crawler:

- Height adjustable type.
- The body should be supported good quality Rexene to bear a children of age group 2-6 years.
- The unit should be powder coated frames with no sharp adges.
- It can provide hammock tilts forward or backward for correct positioning of the patient.

28-Staircase

The stair case shall be a Small Up and Down type with 3step UP and 3 step down. The patient can ascend and descend without turning.

The stairs are to be Small and straight.

The total length of the stair case should be fitted with two full width rails

It should bear a load capacity under normal for age group of 3-9 years.

Can be easily sifted to any space.

Dimension:

For down two steps: 10"L x 30" W x 6" H

For UP Three steps : 10"L x 30" W x 4" H

The base platform: 24"Lx 30"W x 12" H

Complete unit shall be made of good quality Poly Wood.

29-Balance Board

It should be usefull for children age from 3-6 years

It should be used for rocking from side to side, spinning around and balancing where a children can stand or sit .

The boalrd should be provided with anti skid profile and four integrated handlebars.

Diamenssion:approximate 4/2 feet across and approximately 7inches height.

30-CP walker

31-Swing

The unit should consists of following swings

1-plat form swing

2-Bloster swing

3-Disc swing

4-T-Tube

All the swing should be used by the children of age group from 3-9 years.

The complete unit should be detachable.

It should provide maximum relaxation and stimulation to the children with a dimension of

Made of of soft fabric provided with detachable cuddly cushion.

All material should be made from 100%cotton outer and polyester filling.

It should have single/double suspension point.

Abhishek

Sunita Nanda

Sonal Patra

21

It should hold up to 60kg.

32-Ball pool with ball

Pool Dimension:

48"x

33-Scooter board

The scooter board should be used for the age from 3-6 years.
 It can be used by the Kids who can travel every way while working on gross motor skills development, increasing arm strength and motor planning.
 The scooter board can be used in a sitting, kneeling and prone position for development of gross motor skill of upper and lower extremities.
 It should be made of heavy duty polypropylene of minimum 5-year guarantee of 16" base platform.
 It should be provided with safety grip handles and non-marring rubber swivel casters.
 Minimum weight bearing capacity should be 50kg.

34: Therapy Mattresses:

- Made of good quality foam of minimum density of 40kg/cm³
- The thickness of the mattress should be 4"
- Dimension: 10ft (L) and 5ft (W)
- It should be covered with a polyvinyl coating cover.
- Should not collect sweat, odour or dirt and should be easily wiped & cleaned with a damp cloth.
- Should have non-sticky & non-skidding surface.
- Should provide cover bag for safe keeping & handling.

34-Ball store :

35-Beach ball : Regular playing beach ball for children size.

Inflatable 12" in diameter .Rainbow design.Made of non-toxic rubber material .

36-Foam blocks

- Set of 5 pieces.
- Ramp measures 24"L x 16"W x 8"H down to 1"H
- Wipe-clean vinyl in primary colors
- Ages 1 yrs. +

Prashant
Sunita Nanda
Sonali Patra

2

- It should be a playing come improvement tool.
- It should be comprises of small and medium multiple types blocks (square,rectangular,circular and cylidrycal etc) to form different shapes for providing jumping,climbing,rolling and framing in shapes.
- All block should be made of durable foams of minimum density of 50kg/cm3.
- Made of Antimicrobial and antibacterial foam; phthalate free cover
- Durable, easy-to-clean vinyl cover stands up to countless hours of play
- Foam is the perfect mixture of firm enough to sit on yet soft enough for safe play

37-Knee foot orthosis for 3-6 years

38-Ankle foot orthosis splint for 3-6 years

39-DB splint

40-Peanut Balls

A favorite occupational therapy tool and physical therapy ball, peanut balls are great for working on balance, body awareness, core strength, body stability, providing vestibular input, and much more.

Tactile Therapy Ball

A sensory delight 75cm therapy ball is swarming with little sensory bumps that provide a nice touch of tactile input during balance, vestibular, and bilateral ball activities. Kids can't wait for their turn when playing with this bumpy sensory ball. Ideal for 1:1 or groups. Also makes a great "bumpy" ball chair seat.

Buishome
Sunita Nanda
Smal's Patna
2

