

**OFFICE OF THE
REGULATED MARKET COMMITTEE, BANKI**

At/PO.- Banki, Dist-Cuttack, PIN-754008, Phone/Fax-(0672)240258
Email-rmcbanki1960@gmail.com, website-www.osamboard.org



No. 200 Dt. 06.10.20

SHORT TENDER/QUOTATION CALL NOTICE

The Sub-Collector, Banki-cum-Chairman, Regulated Market Committee, Banki invite rate quoted bid in sealed cover from reputed Manufacturer/Authorized registered Dealer/Supplier for supply, installation and commissioning of grading equipments for Paddy Procurement operation for the KMS 2020-21


Sl No.	Name of the Equipments	Quantity
1	Electronic Weighing Scale, 300Kg capacity	15 nos.
2	Digital Moisture Meter	20 nos.
3	Minigrader	15 nos.
4	Sample Divider	30 nos.
5	Set of Sieves	30 nos.
6	Perkhi	30 nos.

The bid documents consisting of specification and set of terms and conditions can be seen in the District website i.e. <https://cuttack.nic.in> and same will be available for the period from dt.08.10.20 to dt.17.10.20 up to 5.30 P.M. The intending firms may quote their price itemwise inclusive all taxes. The intending firms must submit papers like valid GST certificate, PAN and other related documents as per norm fixed by the Govt.

The Supplier should furnish Bank Draft amounting to Rs.1,000/- (Rupees One thousand) only towards paper cost (non-refundable) and Rs.20,000/- (Rupees twenty thousand) only towards EMD respectively drawn in favour of Regulated Market Committee, Banki payable at Banki. The Suppliers/Firms should furnish their bid documents through Regd. Post/Speed post/Office box in person from Sl No.01 to 06 on the envelope on or before dt.20.10.20 upto 5.30 P.M. and the same will be opened on dt.22.10.20 at 11 A.M. in the Office of the R.M.C. Banki in presence of the quotationers or their authorised representatives. The undersigned is not held responsible for any postal delay. The approved quotationer will have to deliver the equipments within 7 (seven) days from the date of placement order positively.

The intending firms have to submit the details specifications of required articles as per format which are available on the aforesaid website according to the guideline/specification communicated vide letter No.3252 dt.30.10.18, letter No.1729(66) dt.20.08.19 and also terms and conditions as laid down vide letter No.3238 dt.04.11.16 in the enclosures of the said letters may be referred. The bid documents shall addressed to The Secretary, R.M.C. Banki, At/Po-Banki, Dist-Cuttack, PIN-754008

The authority reserves the right to cancel/reject all or any of the quotations without assigning any reason thereof.



Dec 6/10/20
Sub-Collector, Banki
-cum-Chairman Banki
R.M.C. Banki
Sub-Collector
R.M.C. Banki

Memo No. 201 Dt. 06.10.20

Copy submitted to the Director of Agricultural Marketing-Member Secretary, O.S.A.M. Board, Bhubaneswar for favour of kind information and necessary action.

Dec 6/10/20
Sub-Collector, Banki
-cum-Chairman Banki
R.M.C. Banki
Sub-Collector
R.M.C. Banki

Memo No. 202 Dt. 06.10.20

Copy submitted to the Collector & District Magistrate, Cuttack for favour of kind information and necessary action.

Dec 6/10/20
Sub-Collector, Banki
-cum-Chairman Banki
R.M.C. Banki
Sub-Collector
R.M.C. Banki

Memo No. 203 Dt. 06.10.20

Copy submitted to the D.I.P.R.O., NIC Cuttack for favour of information with are quest to display the short tender/quotation call notice alongwith the bid documents in the District website for the period from dt.08.10.20 at 10 A.M. to dt.17.10.20 up to 5.30 P.M. for wide publicity.

Dec 6/10/20
Sub-Collector, Banki
-cum-Chairman Banki
R.M.C. Banki
Sub-Collector
R.M.C. Banki

Memo No. 204 Dt. 06.10.20

Copy to Office Notice Board for wide publicity.

Dec 6/10/20
Sub-Collector, Banki
-cum-Chairman
R.M.C. Banki
Sub-Collector
R.M.C. Banki

DETAILED TERMS AND CONDITIONS




1. The Purchase order may be issued by the R.M.C. either to the manufacturer or to the authorised Distributor/Dealer as selected/Finalized by the Purchase Committee after demonstration. If the Supplier fails to deliver to R.M.C. within the allotted delivery period, the R.M.C. is at liberty to cancel the order of L1 and place the order to L2 within the approved price if L2 agreed with written consignment. The selected firms keep ready the equipments before the purchase committee for verification.
2. The price quoted by the Supplier is for R.M.C. (Destination) inclusive of all taxes, duties, packing and forwarding charges, inland transportation, insurance and local costs incidental to delivery and installation charges (as admissible, if any) etc. The Supplier should clearly indicate the percentage/amount of GST/VAT etc. in the invoice.
3. Exemption of central excise duty as actual for use for Agricultural application, if any, shall be availed upon submission of relevant documents, which are to be specified by the Supplier well in advance and the Supplier shall render all sorts of assistance to obtain same.
4. The R.M.C shall not be responsible for any loss, damages and shortage during transportation. Payment shall be made for materials received in good conditions only.
5. The rate contract is valid for a period of one year i.e. from award of the rate contract. The validation of the AMC can also be extended for 2 more years if agreed to by the Supplier and on acceptance by the OSAM Board/R.M.C.
6. Timely delivery is essence of the contract and hence should any consignment be delayed, liquated damages @ 0.5% of the price of the delayed consignment, for each week or part thereof shall be levied and recovered subject to maximum of 10% of total order value.
7. After sales service, spare parts management, defect rectification Management as would be decided by the Authority should be ensured by the Supplier.
8. Maximum uptime, downtime and response time as signed by the Supplier at i.e. rectification of any problems that arise shall be done by the Supplier must also to be maintained by the Supplier, failing which penalty as per of bid documents will be imposed.
9. It is the responsibility of the Supplier for ensuring satisfactory installation and commissioning of it's supplied items in the R.M.C/Market yard etc. failing which final acceptance certificate shall not be issued to the firm.
10. Since the items are proposed to be set up in good numbers in the R.M.C., hence the entire consultancy, right from concept stage to commissioning and post sales service stage, should also be provided by the Supplier.
11. The Supplier should supply the required items in required quantities, to the R.M.C., for which the R.M.C. should mention details of "Delivery Schedule" in a tabular form including the addresses of the consignee.

12. **Training:** All necessary exhaustive training programmes to the user (RMC) on proper maintenance, repair, over-hauling & operation for all the equipments supplied shall be arranged by the respective Suppliers under respective R.M.C. area for sufficient number of days on free of cost.
13. **Warranty/Guarantee :** Comprehensive warranty for all the items shall remain valid for 12(twelve) calendar months after the same have been delivered, commissioning and accepted at the final destination to be indicated in the agreement/ contract/ purchase order. Manufacturer's Guarantee/ Warranty Certificate should also be submitted in the R.M.C. for the items supplied by the Supplier along with the materials.
14. **Maintenance Service:** Free maintenance shall be provided by the supplier during the period of warranty. After warranty period, for next three years, annual maintenance repairs of the entire system including cost of spares etc. will be done by the Supplier. The annual maintenance and repair cost (after warranty period) shall be paid in annual instalments at the end of each year from the date of completion of the warranty subject to satisfactory services rendered as specified in the bid document as per the rates quoted in price schedule.
15. The price of annual maintenance services for 3(three) years after expiry of comprehensive warranty for 12(twelve) months as indicated in Bid documents should also be mentioned separately.
16. **Payment:** Payment for Goods and Services shall be made in Indian Rupees as follow:
90% payment shall be made at the concerned R.M.C. Office level against complete supply, installation and commissioning of grading equipments and upon submission of the documents specified. Balance 10% towards S.D. shall be released at R.M.C. Office after completion of warranty period of 1(one) year from the date of successful installation and commissioning of equipment.
17. The items so supplied will have to be high quality and grade and in the event if goods are found to be inferior quality, the Supplier will liable to banned or suspended from doing business with RMC, under the Board with forfeiture of performance security/EMD
18. All sorts of legal dispute shall resolve in the manner as provided for in the NIT.

Deel
6/10/2020
Sub-Collector, Banki-cum-
Chairman, R.M.C. Banki
Sub-Collector, Banki
-cum-Chairman
R.M.C. Banki

**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 300Kg.
CAPACITY (With Printer facility)**



Sl. No.	Specification
1	Minimum weight of the machine 30Kg.
2	Weighing Capacity – 300 Kg. maximum, 1 Kg. minimum e=50 g.(least count)
3	Accuracy classes – Class-III
4	Platform size – 60 cm x 60 cm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer.
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup. Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 600 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO.


**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 600Kg.
CAPACITY (With Printer facility)**

Sl. No.	Specification
1	Minimum weight of the machine 40 Kg. and above
2	Weighing Capacity – 600 Kg. maximum, 2Kg. minimum e(least count): =100 g.
3	Accuracy classes – Class-III
4	Platform size – 750 mm x 750 mm / 700 mm x 800 mm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup. Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 1000 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO.

N.B. : The AMC of the Weighing Machine should be given to the original supplier of the machine to protect the longevity of the machine and well-functioning.

[Handwritten signature]

TECHNICAL SPECIFICATION OF MINI SEED GRADER



Sl. No.	Specifications
1	Laboratory Model
2	Commodity : Paddy, Pulses
3	Operating Voltage : 220 Volt, 50 Hz.A.C.
4	Screen area : 29 x 24 cm 23pprox..
5	Screen provided : Set of 10 Sieves
6	Sieve sizes (mm): 3.5 OH, 2.75 OH, 2.0 OH, 1.85 OH, 1.75 OH , 1.5 OH, 7.0 RH, 5.0 RH, 1.6 RH and 1.2 RH (OH-Oblong Hole and RH - Round Hole)
7	No. of working screen : Two
8	Motor: ½ HP Single Phase (ISI Standard)
9	Operation : Manual, Power
10	Adjustable feed control, Air speed regulator, Stainless Steel Sieve
11	Made of teak wood and ply.


TECHNICAL SPECIFICATION OF SET OF SIEVES

Sl. No.	Specifications
1	Set of Sieves (4 nos. with collecting pan and lid made up of brass)
2	Sieve Size – 4 mm – 1 no. 3.35 mm - 1no. 1.7 mm - 1 no 1 mm – 1 no. Dust collector – 1 no.
3	Solid Bottom Pan – 1 no.
4	Lid – 1 no.

TECHNICAL SPECIFICATION OF DIGITAL MOISTURE METER

Sl. No.	Specifications
1	Measuring Range: 3.5% to 40%
2	Supply Voltage : 9V DC
3	Temperature Compensation : Automatic calibration & error correction facility
4	Display : Digital LCD / LED
5	Error condition display for over Range or under range : $\pm 0.2\%$
6	Commodity : Cereals, Pulses, Oil Seeds
7	Operating Temperature : Ambient to 50 ⁰ C

TECHNICAL SPECIFICATION OF ANALYSIS BOX / KIT



Sl. No.	Specification
1.	Analysis Box / Kit consists of Class 'B' Mechanical Weighing Balance up to 100 gm. Weight box consist of set of verified weights up to 100 gms. Enamelled Plate-9", Parkhi-9", Sieve-3.30 mesh, Magnifying Glass-1.5" (Magnification of 10X), Vernier / Micrometer, Palm Paddy De-husker, Scoop (With handle, 105 mm x 100 mm x 25 mm, Measuring Cylinder-20 cc., Built-in Purity Work Board for testing physical purity of seeds, Petri Dish & Forceps all packed in a compact wooden / leather brief case, as small, as light and as compact as possible, but as accurate and as reliable.

TECHNICAL SPECIFICATION OF MICRO METRE

Sl. No.	Specifications
1	Analog measuring device for measurement of length / breadth of seed. The dial used is as per IS specification.
2	Made of stainless steel
3	Range : 0 – 25 mm
4	Resolution : 0.01 mm
5	Accuracy : 0.005 mm

TECHNICAL SPECIFICATION OF SEED SAMPLE DIVIDER (BOERNER TYPE)

Sl. No.	Specifications
1.	Meeting BIS specification
2	No. of Pockets : 38
3	Hopper Capacity : 1 Kg. (minimum)
4	Feature : provides accurate splits of the grain Samples into two equal halves with an accuracy of $\pm 5\%$ on a 1Kg. sample.
5.	Two collecting Pans
6	Copper and Brass Body
7	Made without joint (in material flowing component)

Dale
10/9/18
Rama Chandra Dalai
Asst. Controller, Legal
Metrology, Bhubaneswar

hd
10/09/18
Sushil Kumar Kandulana
Asst. Controller, Legal
Metrology, Khurda

UM
10-9-18
Dr. U. S. Pal
CAET, Representative, Dean,
Agriculture Engineering, OUAT

Pradeep Ku. Mallick,
Technical Asst., OSCSC
Ltd., Bhubaneswar

Am
10/9/18
Alok Kumar Saha
Marketing Officer, DMI,
Bhubaneswar

Anu
10/9/18
Anupam Kumar,
Marketing Officer, DMI,
Bhubaneswar

Pr
10/9/2018
Prafulla Chandra Mishra,
Executive Engineer-II-cum-
Chairman, Technical
Committee, OSAM Board

Am
10/9/18
Asirbad Mohanty,
Asst. Executive Engineer,
OSAM Board

YD
10/9/18
Yudhisthira Das.
Audit Superintendent,
OSAM Board

P. C.
10/9/18
P. C. Sathapathy,
Sr. Clerk, OSAM Board

PKM
10/9/18
P. K. Mohanty,
Lab. Assistant, OSAM Board