

**OFFICE OF THE
REGULATED MARKET COMMITTEE, NARASINGHPUR**


At/PO.-Athgarh, Dist-Cuttack, PIN-754029, PH:-(06723)220427
Email:-rmcnarsinghpur123@gmail.com/website-http//osamb.odisha.gov.in

No. 85 Dt. 01/03/24

TENDER CALL NOTICE


Supply , Installation and Commissioning of 60 MT capacity fully electronic Weighbridge (Type-Pit less Kind) with ancillary infrastructure on Turn key basis with AMC at Athgarh Main Market Yard under Narasinghpur R.M.C.

The Sub-Collector, Athgarh-cum-Chairman, R.M.C. Narasinghpur invites sealed tender(in two Bid system) from reputed manufacturer/Authorized Dealers having valid Licence "for Manufacture, supply, Installation and Commissioning of 01(one) 60 MT Weighbridge(Pit-less type)with ancillary infrastructure on turn key basis. The detail information and tender document shall be uploaded in the District website i.e <http://cuttack.nic.in> in which can be downloaded and submitted alongwith tender paper cost of Rs.5,000/-(non-refundable) inclusive of GST and EMD as prescribed in the DTCN. The last date and time for submission of Tender in the Office of Secretary, Regulated Market Committee, Narasinghpur is dt.11.03.24 by 3.00 P.M. and the Technical Bid will be opened on dt.11.03.2024 at 3.30 P.M. The authority reserves the right to accept or reject any or all the tender or cancel the entire tender without assigning any reason thereof.


Sub-Collector, Athgarh-cum-
Chairman, R.M.C. Narasinghpur


Memo No. 86 Dt. 01/03/24

Copy forwarded to the DIPRO, Cuttack/District Informatics Officer, NIC, Cuttack for favour of information with a request to display the tender call notice alongwith the bid documents in the District website for the period from dt.02.03.24 at 10A.M. to dt.11.03.24 upto 3.00 P.M. for wide publicity.


Sub-Collector, Athgarh-cum-
Chairman, R.M.C. Narasinghpur

Memo No. 87 Dt. 01/03/24

Copy forwarded to the Executive Engineer, O.S.A.M. Board, Bhubaneswar for favour of information and necessary action. He is requested to depute the J.E-in-charge of Narasinghpur R.M.C. to remain present at the bid opening time.


Sub-Collector, Athgarh-cum-
Chairman, R.M.C. Narasinghpur

Supply, Installation and Commissioning of 60 MT capacity fully electronic Weighbridge (Type-Pit less Kind) with ancillary infrastructure on Turn key basis with AMC at Athgarh Market Yard under Narasinghpur R.M.C.

No. 88

Date: 01/03/24

GENERAL INSTRUCTION TO THE TENDERER

INTRODUCTION

The Sub-Collector, Athgarh-cum-Chairman, R.M.C. Narasinghpur invites sealed tender(in two Bid system) from reputed Manufacturer/Authorized Dealers having valid Licence "for manufacturer,Supply,Installation and Commissioning of pitless type 60 MT fully electronic Weighbridge with ancillary infrastructure on turn-key basis with 3 years AMC as per the detailed specification given by O.S.A.M. Board, Bhubaneswar vide letter No.1729(66) dt.20.08.2019 attached with the tender call notice.The warranty period for the Weighbridge(Both Mechanical, Electronic Spares and other supplier)shall be for a period of 1(one)year.

[Handwritten signature]
01-3-24

TENDER SCHEDULE

Last date and time for receipt of the bids(both techno-commercial and price bid)	11.03.2024
Time and date of opening of Techno Commercial Bid	11.03.2024
Opening of Price Bid	11.03.2024
Likely date for award of contract	12.03.2024
Download of tender documents	From 10.00 a.m. of dt.02.03.24 to 3.00 p.m. of dt.11.03.2024
Place of submission/opening of Bids	Office of the Regulated Market Committee, Narasinghpur At/PO.-Athgarh,Dist-Cuttack,PIN-754029
Address for correspondence	Regulated Market Committee, Narasinghpur At/PO.-Athgarh,Dist-Cuttack,PIN-754029 Email:- rmcnarsinghpur123@gmail.com

me
01-3-24

1. SUBMISSION OF TENDER & VALIDITY

The tender shall be submitted in two parts in two separate sealed envelopes.

PART-I – TECHNO-COMMERCIAL BID

PART-II – PRICE BID

The envelope containing Techno Commercial bid shall be super scribed as “Techno Commercial bid for 60 MT capacity weighbridge Part-I & the envelope containing Price bid shall be super scribed as PRICE BID Part-II for 60 MT Weighbridge & the above two envelopes should be put in a third envelope super scribing as “Tender for 60 MT fully electronic (pitless type) Weighbridge with ancillary infrastructure on turn key basis with AMC”, NIT number and due date of opening and complete address of the bidder. All the pages of documents submitted must be numbered, signed & sealed and an index page should be submitted in the Techno-Commercial Bid to The Secretary, R.M.C. Narasinghpur At/PO.-Athgarh, Dist-Cuttack, PIN-754029 through registered post/speed post or person in hand.

The tender paper can be downloaded from the District website i.e. <http://cuttack.nic.in> from dt.02.03.24. The last date of submission of tender is dt.11.03.24 upto 3.00 p.m. which will be opened on dt.11.03.24 at 3.30 p.m. The cost of the tender paper Rs.5,000/- (Rupees five thousand) only inclusive of GST and EMD as prescribed may be submitted alongwith the tender. There will be no sale of the tender paper.

The tender submitted by the bidder shall be valid for a period of 60 (sixty) days from the last date of submission of the tender.

2. CHANGE ON THE TENDER

The bidder are requested to visit the website :<http://cuttack.nic.in> from time to time for any changes made in the tender which will be updated for Bidders information.

3. DATE, TIME AND PLACE FOR SUBMISSION OF THE BID

The bid should be submitted by hand as per the Tender Scheduled in the Office of the Regulated Market Committee, Narasinghpur, At/PO.-Athgarh, Dist-Cuttack, PIN-754029. The bid received after the due date and time shall not be considered.

The Techno commercial bid shall be opened in presence of the bidders or their authorized representatives on dt.11.03.24 at 3.30 p.m. in the Office of the Regulated Market Committee, Narasinghpur at Athgarh but their absence shall not be bar to the opening of the tender in the scheduled date, time. The Techno Commercial bids shall be evaluated by a committee and the Price Bid of the qualified bidders only shall be opened in presence of the bidders or their authorized representatives, on a later date which be intimated separately.

[Handwritten signature]
01-3-24

4. COST OF TENDER DOCUMENT, EMD AND SECURITY DEPOSIT

- a) Tender paper cost Rs.5,000/- (Rupees five thousand) (inclusive of GST) only to be submitted in shape of DD on any Nationalized bank in favour of Secretary, Regulated Market Committee, Narasinghpur payable at Athgarh.
- b) EMD @1% of total quoted price in shape of DD on any Nationalized bank payable in Favour of The Secretary, Regulated Market Committee, Narasinghpur.
- c) DD towards the cost of tender paper and EMD should be submitted separately in an envelope of techno commercial bid i.e. Part-I. The EMD of the unsuccessful bidders shall be refunded after the expiry of the bid validity but not later than 30 days of the award of the contract/work order, whichever is earlier without any further request from the bidder(s). If the successful bidder withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of his tender or awards of contract, the EMD shall be forfeited. On placement of work order to the successful bidder, EMD of the successful bidder shall be retained until execution of the work & completion of warranty period without any interest.

5. GENERAL INFORMATION

I) **NAME OF WORK:** SUPPLY AND INSTALLATION ONE NO. OF 60 MT CAPACITY FULLY ELECTRONIC WEIGHBRIDGE AT ATHGARH MARKET YARD UNDER NARASINGHPUR R.M.C.

II) PERIOD OF COMPLETION

The period of completion, including supply, testing, commissioning, trial run including statutory inspection and handing over shall be 60 days from the date of issue of work order.

6. ELIGIBILITY CRITERIA

(i) For OEM (Original Equipment Manufacturer)

- More than 5 years experience in Manufacturing Electronic Weighbridge.
- The average sale Turn over should be more than 1(one) Crore (copy of the Balance Sheet/P/L account/ATO certified by the Chartered Accountant should be enclosed- for the Financial Year 2020-21, 2021-22 & 2022-23).
- ISO certification (copy of certificate should be enclosed)
- Manufacturing Licence from Legal Metrology authorities (copy should be enclosed)
- Model approval certificate from Govt. of India (copy should be enclosed)
- Own facility/Dealers in Odisha to provide after - sale-service having repairing licence from Legal Metrology, Odisha (copy of repairing licence should be enclosed).
- More than 5 installations of any capacity electronic Weighbridge in Odisha during last 5 years. (copies of orders, performance certificate should be enclosed)
- GST Registration Certificate. (Copy should be enclosed)
- Pan card (copy should be enclosed)

me
01-3-24

The Bidding firm should submit an undertaking that they have not been blacklisted by any Govt. or Govt. undertakings.

ii) AUTHORISED DEALERS:

- Dealers of reputed manufacturers having authorization to quote against the tender.
- Dealership & Repairing Licence from Legal Metrology authorities, Govt. of Odisha. Copies of Licence should be enclosed.
- More than 5 years experience in supply, installation and repairing of electronic road weighbridges.
- Successfully completed supply & installation of minimum 5 nos. of any capacity weighbridge in Odisha during last 5 years. (Copies of work orders/ performance certificates should be enclosed.)
- Turn over should be more than 1(one) Crore for last three years. (copy of Balance sheet/P/L account certified by the Chartered accountant should be enclosed-for the financial year 2020-21, 2021-22 & 2022-23.)
- GST Registration Certificate. (Copy should be enclosed)
- Pan Card (Copy should be enclosed)

The Bidding firm should submit an undertaking that they have not been blacklisted by any Govt. or Govt. undertakings.

7. TERMS OF PAYMENT

90% of the work order value shall be released on satisfactory performance and with due certification by the purchase committee and handing over of the Weighbridge duly stamped to Regulated Market Committee, Narasinghpur. The balance 10% shall be released on expiry of warranty period/satisfactory performance of the weighbridge.

8. PENALTY

If the successful Bidder fails to achieve completion of the works within the time, then the Bidder shall pay to the R.M.C. Narasinghpur the sum at the rate of 0.5% of the contract value as liquidated damages for such default and any such penalty for every week or part of the week and maximum up to 5% of the order value. The R.M.C. may without prejudice to any other method of recovery deduct the amount from any payment payable to the executing agency. The payment or deduction of such damages shall not relieve the executing agency from his obligation to complete the works as per scope, or from any of his obligations and liabilities under the Contract. However time extension may be allowed in exceptional adverse climatic conditions or other special circumstances of any kind whatsoever which may occur, other than through a default of the Bidders, be such as fairly to entitle the executive agency to an extension of time for the completion of the works. R.M.C. shall decide the time extension as per merit of the situation and shall notify the executing agency accordingly.

Handwritten signature and date: 01-3-24

9. TERMS & CONDITIONS

- i) The bidder shall impart training to our operational staff on free of cost.
- ii) The weighbridge has to be stamped and verified by the State Department of Legal Metrology, prior to being put into use by the successful Bidder. The successful Bidder shall arrange to calibrate, test and present the weighbridge to the Legal Metrology Department for necessary stamping & verification. The Test weight and manpower required for the stamping purpose will be arranged by the executing agency/successful Bidder.
- iii) Necessary stamping fees for the purpose of stamping of the said weighbridge, the successful Bidders on behalf of R.M.C. Narasinghpur shall submit application duly filled-in, together with the prescribed fees to the appropriate authorities. The actual statutory fees paid by the Executing Agency shall be reimbursed by R.M.C. upon production of documentary evidence. The Executing agency shall also make all necessary arrangements for inspection of the works by the statutory authorities, as and when required. Cost of all such inspections and other incidental expenses shall be included in the contract price.
- iv) Foundation drawing to be submitted along with tender. The Bidder should submit the catalogue of the machines/spares/other supplies of the reputed brands.

10. SOS

The compulsory requirement to attend to complaints on SOS basis, within 24 hours of call should be taken into consideration by the bidders.

11. ACCOMODATION

Bidder has to make his own arrangement for boarding, lodging and transportation at site during execution/commissioning and thereafter, during after sales service etc.

12. SCOPE OF WORK

- 1) Construction of foundation for the road weighbridge. RCC ramp both side of the weighbridge.
- 2) Supply , Erection, testing and commissioning of the weighbridge along with the accessories.
- 3) Cable layout and connection.
- 4) Stamping and test report of the weighbridge to be provided by the supplier.
- 5) Onsite training to departmental staff for normal operation, basic familiarization, of general features of the installed system during that period.

13. SITE CONDITION

The proposed place on installation of Weighbridge shall be inside the Athgarh Main market yard under Narasinghpur R.M.C., no additions/alterations or dismantling work are to be executed since a free space and approach has been identified for installation of weighbridge inside the market yard. However, the prospective Bidders are advised to visit the site for a first hand assessment of the site conditions before submitting the tender.

Handwritten signature and date:
01-3-24

SPECIAL CONDITION OF CONTRACT

TERMS & CONDITIONS

1. Scope of supply

Note: Bidder without quoting civil foundation will not be considered.

The Bidder shall include detailed design & specification, schedule of delivery, erection and commissioning of 60 MT fully electronic Weighbridge (pit-less type) including different elements of price with 3 years AMC as per technical specifications mentioned in the tender. The tenderer shall carefully study the tender documents and shall satisfy himself of the suitability of the equipment, and shall take full responsibility for the efficient operation, guarantee and after sales-service of the performance parameters of the equipment offered.

2. Scope of Assembly and Commissioning

The commissioning of the equipment shall be done by the successful bidder and shall include testing and providing the guaranteed contract performance of the equipment. Operator shall be trained in operation and maintenance of equipment offered. Commissioning of the equipment to the satisfaction of R.M.C. Narasinghpur will be of sole responsibility of the successful bidder. The bidder shall provide competent commissioning engineers to ensure the same.

3. Completion Period

The work should be completed in all respect within 60 days from the date of issue of work order in favour of successful bidder.

4. Transportation

The Weighbridge along with its accessories, other supplies and spares as per the requirement should be delivered for Athgarh Market Yard at their own cost & risk.

5. Price

Price should be quoted in figures and words. Any discrepancy arising between words and figures, words will prevail. The quoted price should be inclusive of all taxes and duties.


6. Performance Guarantee

The successful bidder shall guarantee against defect arising out of workmanship, design, materials and performance to ensure satisfactory performance requirements as indicated in the tender documents. A certificate to this effect shall be furnished by the successful bidder. Warranty period shall be 1 (one) year from the date of commissioning and stamping/ handover. In the event of any inadequacy/defect/error/fault resulting in a failure in the performance of the equipment, the successful bidder shall rectify the same including supply of spares, free of cost. The successful bidder shall commit in writing, availability of spares and consumables for normal operation of equipment for 05 years, after successful commissioning /handover of the equipment.

7. Legal Capacity

Handwritten signature and date: 01-3-24

The tender documents shall be signed and sealed in each pages by the bidder or authorized representatives of the bidder having power of attorney to do so, as a token of acceptance of the terms and conditions of the tender. Tenders received unsigned/unsealed/without EMD/without cost tender paper and any other documents specified in the general instruction to bidder are liable be rejected. Any dispute arises out of the contract the matter shall be referred the Sub-Collector, Athgarh-cum-Chairman, R.M.C. Narasinghpur for his decision within a period of 30 days and the decision of the Chairman shall be final and binding to the parties.


**Sub-Collector, Athgarh
-cum-Chairman,
R.M.C. Narasinghpur**



ODISHA STATE AGRICULTURAL MARKETING BOARD

Plot No.1800 (P), Baramunda, Post-Khandagiri, Near Indian Oil Petrol Pump Bhubaneswar
Ph. No.0674-2351311, Fax: 0674-2351316, Email: osamboard99@yahoo.com, Website: www.osamboard.org

Letter No: 1729(L6)
Engg. : 66/2011-12

Dated: 20/08/2019

To,

The Chairpersons
All Regulated Market Committee in the State.

Sub: Regarding Guideline of Technical Specification and Term & Condition for procurement of Weighbridge.


Madam/Sir,

With reference to the subject cited above in the letter under reference and to meet the present situation for requirement installation and commissioning of weighbridges at RMC level for use in Paddy Procurement operation. The Technical Specification along with details Term & Conditions have already been finalized by the Technical Evaluation Committee (TEC), at OSAM Board level is enclosed herewith (Nine Pages) for your ready reference with adhering the following guideline as decided.

After careful consideration RMCs are instructed to strictly ensure and use quality product i.e. Tata Steel, Jindal Steel and SAIL in the weighbridge platform.

1. Prior to procurement of Weighbridge the requirement should be properly assessed and purchase should be made after recommendation of District level Procurement Committee with approval of the concerned Chairman RMC subject to within the budgetary provision in the current year.
2. Procurement of weighbridges as per the approved specifications terms and conditions of TEC either through The Odisha Small Industries Corporation Limited (OSIC), Cuttack or inviting any tendering process by observing due procedure as per the Government norms. Inferior quality by deviating if any approve specification should not be accepted. Concerned Secretary of RMC shall be responsible if any deviation in this regards failing which appropriate action may be initiated against the Secretary of RMC concerned.
3. After Guarantee / Warrantee period is over Annual Maintenance Contract (AMC) of all Weighbridges / Weighing Scales should be preferable given to the supplier of the machine to protect the machine longevity and well functioning. Hence forth if any deviating in this regards serious action shall be taken against the earring official. If at any stage the manufacturer or their authorized Dealer / Supplier do not response to attend repair maintenance work in due time matter may be referred to this office and legal action as deem to be fit shall be initiated by this office against them.
4. After end of each ^{season} ~~season~~ assessment of Weighbridge be done and reasons for non-functioning be ascertained. Accountability be fixed on supplier / user for any short coming / improper usage at their level respectively.


Yours faithfully


General Manager
OSAM Board, Bhubaneswar

Memo No. 1730 (90)

Date 20/08/2019

Copy submitted to All District Magistrate-cum-Collector and Chairperson of District Level Procurement Committee (DLPC) of the state for information and necessary action.



General Manager

OSAM Board, Bhubaneswar

Memo No. 1731

Date 20/08/2019

Copy submitted to Controller Legal Metrology, Khandagiri, Odisha for information and necessary action.


General Manager

OSAM Board, Bhubaneswar

Memo No. 1732

Date 20/08/2019

Copy submitted to Managing Director, The Odisha Small Industries Corporation Limited (OSIC), Cuttack for information and necessary action with reference Letter No - 54, Dtd. 03.01.2019 of Joint Manager, The Odisha Small Industries Corporation Limited (OSIC).


General Manager

OSAM Board, Bhubaneswar

Memo No. 1733 (66)

Date 20/08/2019

Copy forwarded to Secretaries of all RMCs in the state for information and necessary action.



General Manager

OSAM Board, Bhubaneswar

Memo No. 1734

Date 20/08/2019

Copy forwarded to Executive Engineer, OSAM Board for information and necessary action.


General Manager

OSAM Board, Bhubaneswar

Memo No. 1735

Date 20/08/2019

Copy forwarded to all DMOs/Audit Section/Marketing Section/Grading Cell/Engineering Cell of OSAM Board for information and necessary action.


General Manager

OSAM Board, Bhubaneswar

Proceedings of the meeting of Technical Committee held on 10.09.2018 at 04.30 PM in the Conference Hall of OSAM Board for finalization of the specification of Electronic Weighing Scale 300 Kg. & 600 Kg. capacity (with printer), fully Electronics type (Pitless kind) Weighbridge on turnkey basis with capacity 40 MT, 50 MT & 60 MT, Grading Equipment and Apparatus / Equipment for grading of commodities in the Mandis for e-Marketing.

The meeting of the Technical Committee was convened in the Conference Hall of OSAM Board on 10.09.2018 at 04.30 PM under the Chairmanship of Executive Engineer-II OSAM Board. The following Members were present in the meeting:

- 1. Sri Prafulla Chandra Mishra, Executive Engineer-II - Chairman
- 2. Sri Alok Kumar Sarangi, Marketing Officer, DMI - Member
- 3. Sri Anupam Kumar, Marketing Officer, DMI - Member
- 4. Sri Sushil Kumar Kandulana, A.C.L.M., Khurda - Member
- 5. Sri Rama Chandra Dalai, A.C.L.M., HQ, BBSR - Member
- 6. Sri Pradip Kumar Mallick, Tech. Asst.OSCSC - Member
- 7. Dr. U. S. Pal, CAET, OUAT - Member
- 8. Sri Asirbad Mohanty, AEE, OSAM Board - Member
- 9. Sri Yudhisthira Das, Audit Supdt., OSAMB - Member

The Executive Engineer-II-cum-Chairman, Technical Committee, OSAM Board at the outset apprised the Members that the very purpose of the meeting is to finalize the tender specification of Electronic Weighing Scale 300 Kg. & 600 Kg. capacity (with printer), fully Electronics type (Pitless kind) Weighbridge on turnkey basis with capacity 40 MT, 50 MT and 60 MT, Grading Equipment like Mini Seed Grader, Set of Sieves, Digital Moisture Meter, Analysis Kit, Dial Micrometer and Sample Divider (Boerner type) and Apparatus / Equipment for providing e-Marketing facility in the Market Yard and called upon them to examine the existing specifications prepared earlier and recommend suitable specification for procurement.

After a thread bar discussion, the Asst. Controller of Legal Metrology, Odisha, Bhubaneswar and Asst. Controller, Legal Metrology, Khurda were prepared a final specification for the Electronic Weighing Scale 300 Kg. & 600 Kg. capacity (with printer) and fully Electronics type (Pitless kind) Weighbridge on turnkey basis with capacity 40 MT, 50 MT and 60 MT which was unanimously accepted by the Technical Committee. Further, the Technical Committee suggested for AMC of the Weighing Machine and should be assigned to the original supplier of the machine in order to protect the longevity of the machine and for better functioning.

The Technical Asst., Quality Control Cell of Odisha State Civil Supplies Corporation Ltd., Bhubaneswar and the representative of Dean, Agriculture Engineering, OUAT as special invitee also examine the existing specification of Grading Equipment like Mini Seed Grader, Set of Sieves, Digital Moisture Meter, Analysis Kit, Dial Micrometer and Sample Divider (Boerner type) and finally prepared specifications which were unanimously accepted by the Technical Committee.

The Marketing Officers, DMI, Govt. of India, Bhubaneswar opined that, the DMI, Govt. of India have already finalized the specification of apparatus / equipment required for grading of commodities under 47 additional e-Marketing facilities. The specification of Grading Equipment finalized by the Committee is in conformity ^{with} the specification given by DMI.

The meeting ended with vote of thanks to the Chair.



Prafulla Chandra Mishra,
Executive Engineer-II-cum-Chairman,
Technical Committee, OSAM Board.

**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 300Kg.
CAPACITY (With Printer facility)**

Sl. No.	Specification
1	Minimum weight of the machine 30Kg.
2	Weighing Capacity – 300 Kg. maximum, 1 Kg. minimum e=50 g.(least count)
3	Accuracy classes – Class-III
4	Platform size – 60 cm x 60 cm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer.
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup. Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 600 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO.

**TECHNICAL SPECIFICATION OF ELECTRONIC WEIGHING SCALE 600Kg.
CAPACITY (With Printer facility)**

Sl. No.	Specification
1	Minimum weight of the machine 40 Kg. and above
2	Weighing Capacity – 600 Kg. maximum, 2Kg. minimum e(least count): =100 g.
3	Accuracy classes – Class-III
4	Platform size – 750 mm x 750 mm / 700 mm x 800 mm
5	Platform-Powder coated frame and stainless steel platter (202 grade & above)
6	Indicator / Display – LED/LCD display screen
7	In case of printer facility, the machine should have computer interface and printing facility with memory in the printer
8	Load Cell : The load cell must be overload and shock protection. Connecting wires from base to head should be rat protection.
9	Battery – Minimum 12 hours & above Battery Backup. Battery housing should be separated and should be replaced without breaking seal of Inspector Legal Metrology.
10	With both software and hardware locking facility. Provision for seal of Inspector Legal Metrology
11	Overload 1000 Kg. & above
12	Model approval : Weighing Scale have model approval certificate from competent authority from Govt. of India
13	Machines shall be delivered after certification by LMO.

N.B. : The AMC of the Weighing Machine should be given to the original supplier of the machine to protect the longevity of the machine and well-functioning.



TECHNICAL SPECIFICATION of fully Electronic weighbridge (Type – Pit less Kind)

40/50/60 MT capacity with ancillary infrastructure on Turn Key Basis with AMC

1. Electronic lorry weighbridge complete with platform, compression type load cells, digital indicator, recording and printing units.

1.1. Specification of Weighing System

- a. Capacity – 40/50/60 MT electronic static Road weigh bridge
- b. Class – III
- c. Verification scale interval (e) – 10 Kg.
- d. Accuracy – $\pm 0.05\%$ of the applied load.
- e. Memory – At least 10,000 trucks steering capacity
- f. Display – LED / Fluorescent
- g. Power supply – 230 volt Ac $\pm 10\%$; 50cps $\pm 5\%$ Single phase
- h. Provision of RS 232C/Rs 432 COM ports
- i. Operating temperature range – 0-55°C
- j. Security arrangement must be available with the Machine – Both hardware and software
- k. Six load cells digital type is preferable- Double ended shear beam /compression type ; capacity – 30MT (Minimum)
- l. Machine shall be delivered after certification by L.M.O.
- m. Working Software should be included

1.2. Plat form

The weighing platform of size 10m X3m shall be of chequered or antiskid plates of M.S. 12mm thickness with minimum 5 no of joists of 400 X 140 mm conforming to I.S. specification for 40/50/60 T weigh bridge . Minimum weight of platform (7 MT). The platform may be raised above the ground level for facilitating easy cleaning/maintenance (Max 1.0 Meter). The approach pavement (ramp) to platform shall be developed with cement concrete of M 25 grade on both side of the plat form. The gradient of the CC approach may be made limiting to 5% (1 in 20). Construction of concrete approach (CC of M25) to plat-form on both side of plat form with a width of 5.5 mtr. as per the requirement of length at the site is under the scope of the bidder.

1.3. Specification of Digital Indicator

- Capacity : Programmable up to 5 digits (Minimum)
- Increment : Programmable 1.2 or 5 or their multiple
- Display resolution : Maximum 1 in 10000
- Operating Temperature : Maximum +55°C

- **Operating Humidity** : Maximum 93% RH
 - Non Linearity** : 0.016% of full scale or less
 - Repeatability** : 0.016% of applied load
 - Internal Resolution** : Should be adequate to handle the Accuracy level specified for the weighing system.
 - Decimal point selection** : Selectable
 - Communication** : Built in RS 232C.
 - Display type** : LED Display / Fluorescent
- Complete protection against electromagnetic and radio frequency interference.

1.4. U.P.S.

Capacity : 2 KVA / on line of reputed brand

1.5. CVT

3 KVA , Input : 130-270V, 50Hz+5% Output : 220+2%, 50Hz

1.6. Personal Computer

Desktop Configuration : Intel Core i5 Configuration

- CPU** : Inter core i5-3470, 3.2 GHz, 6 MB Cache or higher.
- Chipset** : Intel Q77 or better.
- Bus Architecture** : 4 PCI (PCI / PCI Express)
- Memory** : 4GB 1600 MHz DDR RAM with 32 GB Expandability
- HDD** : 500 GB 7200 rpm or higher.
- Monitor** : 47 cm or larger (18.5inch or larger) TFT/LED Digital Colour monitor TCO-05 certified.
- Keyboard** : 104 keys
- Mouse** : Optical with USB interface.
- Ports** : 6 USB Ports including 2 USB 3.0 Ports (with at least 2 in front), audio ports for micro phone and head phone in front.
- Cabinet** : Mini tower
- DVD Drive** : 8x or better DVD ROM drive

- **Networking Facility** : 10/100/1000 n board integrated Network port with remote booting facility remote system installation, remote wake up, TPM enable 1.2 chip using any standard management software.

Operation Systems

(In Built) : Windows 8 professional / preloaded, as specified., with media and documentation and certificate of authenticity.

OS Certification : Windows 8 OS certification.

Power Management : Screen Blanking, Hard Disk and system idle mode in power on, Set-up password, power supply SMPS Surge protected.

Preloaded Software : Latest version of Mc Afee/Quick Heal/Norton Antivirus software.

Make : HP/DELL/LENOVO

1.7. Printer

Laser printer – Resolution (in dpi) : Mono 600 X 600, Paper size : A4, Print speed in PPM(A4size) : 25, Port : 1 USB, Memory (In MB) : NA, Network card 10/100 : Yes, Duplexing : Yes.

Make : HP/CANON/SAMSUNG


1.8. Software and interface requirements :

- The bidder needs to furnish relevant software interface for interfacing the weigh bridge with the computer systems for data transfer and other required operation such as calibration, testing etc. The systems must use standard serial / parallel / USB interface for communication. The selected bidder will have to ensure the integration of the W.B. to application software which is to be used by the user. The software associated with the weigh bridge should be able to provide standard interface so that the output from the weigh bridge can seamlessly be integrated with any software custom designed or otherwise to be deployed for management /regulation/administration of mineral transport and monitoring.
- The WB software must be user friendly and compatible with Windows – 7 or later versions for operation through GUI interface with total response time (data access and entry time) less than 20 seconds for any weightment transaction. Keyboard shortcuts must be available for the data entry fields with option for navigation using key board shortcut such as TAB key for maximum use of

(144)

keyboard during the data entry operation needs to be provided. Format of user interface needs to be customized as per OSAMB requirements.

- Weigh bridge software needs to have facility for interconnected operation in a network environment. Tare weight and gross weight can be taken in any weighbridges which are connected through network. This can facilitate flexible tare weight and gross weight at same or different weighbridges within the interconnected environment.
- It should be possible to schedule the tare weight interval of a vehicle. The tare weight may be required to be taken up either daily, weekly or after a fixed period as per specific sites requirement. This needs to be configurable in the systems. It should be possible to generate loading slips (tare weight slips) from previous tare weight record.
- The system should generate loading slips, way bills, in the users prescribed format without much manual intervention. During generation of the printed slips, the data available in the system should be used to avoid redundant data entry operation.
- Weighment and delivery reports on specific or group of delivery orders, buyers, material, transporter, weighbridge etc. for a specific period indicating details of weighment including the timestamps needs to be generated by the system.
- The software should use multiple printer connected to the same system or multiple network printers available within the network for simultaneous printing. Use of printers needs to be configurable in the software. The systems should have capability to use dot matrix, laser or any other printer for generation of all printouts.
- The system should maintain back up data in specified path (network or local system) for use during failure or breakdown. Backup data to removable storage such as CD and USB drives etc. also needs to be provided for manual backup operation. There should be provision for recovery of the software and database from the backup for uninterrupted operation. Storing of weigh records of at least 12 months for use in future and necessary hardware facility for achieving this shall also remain in built in the computer.
- The weigh bridge software and the database used by the system must be tamperproof with built in authentication for security. All user access to the weigh bridge software should be recorded automatically through audit records.



- (143)
- The bidder must be able to modify /add or remove features in the software in a reasonable time period as per the recommendation of the competent authority.
 - Other standard facilities for electronics Weigh Bridge also need to be available in the system.
 - The calibration of the weighbridge should be carried out using software without any manual intervention and the record of all such calibration needs to be automatically generated and stored in the system for internal audit.
 - The system should record all startup, shutdown or other important system events for audit.

2.1. BUNKHOUSE AND OTHER CIVIL WORKS

The Bunk House should accommodate all the activities such as weighing, challan, identification/destination slips etc. under a single window concept. The related Electrical Switch Gears, Earthing etc. as required shall be installed in the Bunk House by the bidder. The details specifications are given below : M25 concrete ramp of 5.5 mtr Width and required length should be constructed on both sides.

PARTICULARS OF THE BUNK HOUSE

SPECIFICATION :-

Room size : 4m x 3m x 3m of MS prefabricated bunk house type

The cabin structure is to be suitably designed with bottom frame top frame and wall frame made out of colour coated rolled steel sections.

Suitable stiffeners and fasteners are to be provided. Wall panel and roof panel are to be made with 50mm thick PUF panel. The PUF insulation should be sandwiched between 0.5 mm thick pre-coated steel sheets. The PU foam should be CFC free, self extinguishing and fire retardant type having density 40.0 (\pm 2.0) kg / Cu.m.

The door frame to be made with colour coated pressed steel section using 1.25 mm thick CR sheet.

Door – 1 no

Single leaf PUF insulated panel stiffened by M.S. Frame along perimeter. The thickness of the shutter shall be made of 35/40 mm thick.



Windows – 3 nos

(142)

Colour coated aluminum anodized section / steel sections shall be used in frame and shutter. The shutter shall be fully glazed sliding type with 6 mm thick glass.

OR

Sliding type colour coated glazed shutter frame to be provided in the window.

In both cases colour coated M.S. grill to be provided in the window.

Electric wiring – Internal electrical wiring shall be made with 20mm dia / 32mm dia rigid PVC pipe with separate power and light circuit with modular switch /socket.

For light/fan point - 1.5 sq mm. copper wire of Finolex/L & T make.

Earthing - Electrode earthing with copper plate at bottom (600 x 600 x 6mm) -6 nos (One no for building, one on for electrical wiring and two nos for load cell)

Electrification with accessories

The following electrical accessories shall have to be in each Bunl Huse.

Wire	: Finolex/Havells/L&T make
Modular Switches/Plugs	: Anchor/Havells/Finolex
Holder	: 4 nos (Anchor/Cona) make
5A, Pin plug socket with switch	: 6 nos
40 watt, HPSV fitting with lamp for outside illumination	: 2 nos
Ceiling fan	: 1 no (Phillips/Crompton/Bajaj).
CFL	: 20 watt. Serial type.

Earth Pit for earthing

- Earth pit for load cell
- Earth pit for scale room
- All pit to be inter connected to form a grid.
- Modern readymade earthing electrode with back filled compound to be used for earthing.
- Technology :- Pipe in Pipe Technology. Two mild steel pipes one side the other, Zinc Coated / Copper Coated / Alloy Coated / Hot dip galvanized, filled with high conductive and corrosive resistance crystalline mixture and back filled compound around electrode.(Make ISI approved reputed make)
- Suitable Lightning Arrestors are to be installed for preventing the damage to the weigh bridge due to lightning.

Electrical Connection

The bidder shall make necessary arrangement for undertaking all electrical wiring for power supply arrangements. A detailed schematic diagram needs to be furnished for approval from RMC / OSAM Board within one week from the date of receipt of the Purchase Order. The required Energy Meter for connection of the Bunk House shall be installed by RMC.

AMC of all Weighing Machines should be preferably given to the supplier of the machine to protect the machine longevity and well functioning.

- Ramp - 

TECHNICAL SPECIFICATION OF MINI SEED GRADER

Sl. No.	Specifications
1	Laboratory Model
2	Commodity : Paddy, Pulses
3	Operating Voltage : 220 Volt, 50 Hz.A.C.
4	Screen area : 29 x 24 cm 23pprox..
5	Screen provided : Set of 10 Sieves
6	Sieve sizes (mm): 3.5 OH, 2.75 OH, 2.0 OH, 1.85 OH, 1.75 OH , 1.5 OH, 7.0 RH, 5.0 RH, 1.6 RH and 1.2 RH (OH-Oblong Hole and RH - Round Hole)
7	No. of working screen : Two
8	Motor: ½ HP Single Phase (ISI Standard)
9	Operation : Manual, Power
10	Adjustable feed control, Air speed regulator, Stainless Steel Sieve
11	Made of teak wood and ply.

TECHNICAL SPECIFICATION OF SET OF SIEVES

Sl. No.	Specifications
1	Set of Sieves (4 nos. with collecting pan and lid made up of brass)
2	Sieve Size – 4 mm – 1 no. 3.35 mm - 1no. 1.7 mm - 1 no 1 mm – 1 no. Dust collector – 1 no.
3	Solid Bottom Pan – 1 no.
4	Lid – 1 no.

TECHNICAL SPECIFICATION OF DIGITAL MOISTURE METER

Sl. No.	Specifications
1	Measuring Range: 3.5% to 40%
2	Supply Voltage : 9V DC
3	Temperature Compensation : Automatic calibration & error correction facility
4	Display : Digital LCD / LED
5	Error condition display for over Range or under range : ± 0.2%
6	Commodity : Cereals, Pulses, Oil Seeds
7	Operating Temperature : Ambient to 50° C

[Handwritten signature]

TECHNICAL SPECIFICATION OF ANALYSIS BOX / KIT

Sl. No.	Specification
1.	Analysis Box / Kit consists of Class 'B' Mechanical Weighing Balance up to 100 gm. Weight box consist of set of verified weights up to 100 gms. Enamelled Plate-9", Parkhi-9", Sieve-3.30 mesh, Magnifying Glass-1.5" (Magnification of 10X), Vernier / Micrometer, Palm Paddy De-husker, Scoop (With handle, 105 mm x 100 mm x 25 mm, Measuring Cylinder-20 cc., Built-in Purity Work Board for testing physical purity of seeds, Petri Dish & Forceps all packed in a compact wooden / leather brief case, as small, as light and as compact as possible, but as accurate and as reliable.

TECHNICAL SPECIFICATION OF MICRO METRE

Sl. No.	Specifications
1	Analog measuring device for measurement of length / breadth of seed. The dial used is as per IS specification.
2	Made of stainless steel
3	Range : 0 – 25 mm
4	Resolution : 0.01 mm
5	Accuracy : 0.005 mm

TECHNICAL SPECIFICATION OF SEED SAMPLE DIVIDER (BOERNER TYPE)

Sl. No.	Specifications
1.	Meeting BIS specification
2	No. of Pockets : 38
3	Hopper Capacity : 1 Kg. (minimum)
4	Feature : provides accurate splits of the grain Samples into two equal halves with an accuracy of + 5% on a 1Kg.sample.
5.	Two collecting Pans
6	Copper and Brass Body
7	Made without joint (in material flowing component)

Dalal
18/09/18
Rama Chandra Dalai
Asst. Controller, Legal
Metrology, Bhubaneswar

H
18/09/18
Sushil Kumar Kandulana
Asst. Controller, Legal
Metrology, Khurda

U.S.P
10-9-18
Dr. U. S. Pal
CAET, Representative, Dean,
Agriculture Engineering, OUAT

Pradeep Ku. Mallick,
Technical Asst., OSCSC
Ltd., Bhubaneswar

A.K.S
18/09/18
Abk Kumar Saipang,
Marketing Officer, DMI,
Bhubaneswar

Anupam
18/09/18
Anupam Kumar,
Marketing Officer, DMI,
Bhubaneswar

Prafulla
10/9/2018
Prafulla Chandra Mishra,
Executive Engineer-II-cum-
Chairman, Technical
Committee, OSAM Board

Asirbad
18/09/18
Asirbad Mohanty,
Asst. Executive Engineer,
OSAM Board

Y.D
10/9/18
Yudhishira Das
Audit Superintendent,
OSAM Board

P.C.S
10/9/18
P. C. Saipathy,
Sr Clerk, OSAM Board

P.K.M
10/9/18
P K Mohanty,
Lab Assistant, OSAM Board