

OFFICE OF THE CDM & PHO, CUTTACK

Email: fmg.nhm.cut@gmail.com

Bid Reference No: 01/Furniture/NHM/CTC/2026-27

**TENDER DOCUMENT
FOR
SUPPLY OF OFFICE/HOSPITAL FURNITURE**

**Regd. Office: Old Secretariate, Cantonment Road, Buxi
Bazar, Cuttack -753001.
Tel.: (0671) 2305377/295007**

Annexure No - I

Terms and Conditions for supply of Office Furniture for use at District Head Quarter Hospital, Cuttack

Bid Reference No: 01/Furniture/NHM/CTC/2026-27

Dated: 05/06/2026

Sealed Bids are invited from the interested firms / agencies / Distributor for supply of Office/Hospital Furniture, for use at District Head Quarter Hospital, Cuttack. List of Items are mentioned in **Annexure- II**.

| | |
|--|---|
| Items required | Office Furniture for use at District Head Quarter Hospital, Cuttack (Complete list of items along with specification are given in Annexure - "II" separately attached). |
| Quantity Required | Quantity mentioned at Annexure- II may vary according to requirements. Requirements can be placed at any time during the valid period of tender. |
| Validity of Tender | 1 (one) year from the date of finalization of tender. |
| Date of Publication of Bid Document in Website | Dt.05/06/ 2026 |
| Pre-bid Conference | Dt.10/06/2026 at 11.30 A.M. |
| Last date for submission of Tender documents | Date: 29-06-2026 Time 4:00 P.M Address: Office of the Chief District Medical & Public Health Officer, Cuttack, Old Secretariate, Cantonment Road, Buxi Bazaar, Cuttack, Odisha -753001. |
| Date, Time & Place of Opening of Tender | Date: 02-07-2026 Time: 11.30 A.M Place: Office Chamber of ADM (Development), Collectorate, Cuttack |
| Bid documents can be downloaded from the district website | https://cuttack.odisha.gov.in . |

| | |
|--|--|
| <p style="text-align: center;">Eligibility Criteria</p> | <p>Interested firms / agencies / Distributor should have been:</p> <ul style="list-style-type: none"> ▪ Registered as per GST & Income Tax Act and has a valid legal status. ▪ The firms / agencies / Distributor should have proof of annual average turnover of Rs. Rs.1 Crore or more in the last three (3) financial years certified by the Chartered Accountant as per the format at Format <i>Annexure - "IV"</i>. ▪ Audited Financial Statements for last 3 years (i.e. 2022-23,2023-24 & 2024-25). ▪ The firms / agencies / Distributor should have experience in the relevant field at least for three (3) years. ▪ The firms / agencies / Distributor should have supplied similar items to any Govt sector in last three (3) years. ▪ Bidder has to quote only well-known brand available in the market (<i>Preferably Godrej, Nilkamal, Feather lite & Durian</i>). |
| <p style="text-align: center;">Documents required for participation in the tender process</p> | <ul style="list-style-type: none"> ▪ Photocopy of GST registration certificate. ▪ Photocopy of PAN Card. ▪ Photocopy of Registration of Agency / Organization in any other Act applicable (Ex- Company Registration Certificate). ▪ Photocopy of Partnership deed in case of firm. ▪ Turnover certificate of Rs.1 Crore or more in the last three (3) financial years certified by the Chartered Accountant with UDIN Number. ▪ Documents in support of experience in the relevant field at least for three (3) years. ▪ Documents in support of proof towards supplying similar items to any Govt sector in last three (3) years. ▪ Brochure / Photograph of items quoted should be attached. ▪ The bidder has to submit an affidavit (Notarized) on Rs. 100/- non-judicial stamp paper in the format given in Annexure – "III". <ol style="list-style-type: none"> a. That the organization does not have any legal suit / criminal case pending against it for violation of Income Tax & GST Act or any other law in India. b. That the organization agrees to abide by all terms & conditions of the tender. c. That the organization is not blacklisted by any Central / State Govt. / Public Sector undertaking in India. d. That the organization has given consent to supply the materials in the stipulated time as per given specification. e. That, the information provided are true & correct. f. That, I hereby undertake to give at least 1 (one) year warranty on the items supplied by me. |

| | |
|---------------------------------------|---|
| | <p>g. That, I hereby undertake to repair all the items supplied by me during warranty period.</p> <p>h. Valid authorization certificates either from manufacturer or their authorized representatives such as Dealer/ Distributorship certificate.</p> <ul style="list-style-type: none"> ▪ Tender paper cost - in form of Bank Draft drawn in favor of ZSS, Deposit Account, Cuttack (Non –Refundable). ▪ Rs. 2,000/- (Rupees Two Thousand only) as Tender paper cost. ▪ Rs.90, 000/- (Rupees Ninty Thousand only) in form of Bank Draft in favor of ZSS, Deposit Account, Cuttack towards EMD for each category. EMD will be refunded to the unsuccessful bidders after finalization of Tender Process. EMD of successful bidder will be kept as security for 1 year from the date of finalization of tender. ▪ In case of furniture items brochure/ Photograph of items should be attached <p><u>The agency or organization, who was defaulter earlier for supply of any items to the bid inviting authority is disqualified from participating in the tender process.</u></p> |
| Submission of Bid Documents | <p>Bid will be submitted in two parts i.e. Technical Bid (Cover – A) and Financial Bid (Cover – B). The bidders should give their technical and financial proposal separately in two envelopes and both should be put into third cover which should be super scribed as “Bid Reference No: ___/Furniture/NHM/CTC/2026-27”. The bidders qualified in the technical bid will be eligible to participate in financial bid. Tender documents should reach to the office of the undersigned either through Speed Post / Regd. Post & Courier only. The bid inviting authority is not responsible for any postal delay.</p> |
| Manner of Financial Evaluation | <p>Bid Price will be evaluated without GST,</p> |
| Signing of Documents | <p>All documents submitted must be signed by the authorized signatory of the organization.</p> |
| Brochure / Photograph | <p>In case of furniture items brochure/ Photograph of items should be attached.</p> |
| Warranty/ Guarantee | <p>Supplier should provide at least 1 (one) year warranty items supplied by him. Supplier will undertake any repairing work within the valid period of tender without any cost.</p> |
| Delivery | <ol style="list-style-type: none"> 1. The suppliers shall ensure that the quality and quantity should be as per the supply order and rate approved in the tender. 2. The supply of items shall be made within the stipulated time mentioned in the supply order and supplier is required to submit the bill along with items for payment in the rate approved for the quantity supplied. The transportation of items is the sole responsibility of supplier and must deliver the item on door delivery basis. |

| | |
|---|--|
| | 3. The CDM & PHO, Cuttack has the authority to cancel / reject the supply order in case of delay / failure / noncompliance to the specifications finalized in tender. |
| Breakage | Any breakage of glass item or any other material during transportation must be replaced by supplier within 7 days. |
| Terms of Payment | Payment will be released only after successful installation and physical verification along with user certificate regarding satisfactory working of equipment. No advance shall be payable in any manner. |
| Consequences for non-compliance to the terms & Conditions after finalization of tender | <ol style="list-style-type: none"> 1. In case of non-compliance by the approved supplier i.e. L1 bidder, the order will be placed to next lowest bidder at L1 price and so on. 2. Security Deposit submitted by L1 bidder will be forfeited. |
| Other Terms & Conditions | <ol style="list-style-type: none"> 1. The person representing as a bidder should be properly authorized. Authorization letter is to be produced before participating in the tender process. Unauthorized person will not be allowed to participate in the tender process. 2. If no suitable bidder found, committee may finalize the tender with suitable modifications and may relax any of the terms and conditions. 3. The undersigned reserves the right to reject any or all the tender without assigning any reason thereof. 4. For any dispute decision of Collector and District Magistrate, Cuttack shall be final. 5. All disputes are subject to the jurisdiction of Cuttack court only. |

M. S. S.
21.6.26

**Chief District Medical & Public Health Officer
Cuttack**

M.

Annexure No - II

Technical Specification for supply of Office/Hospital Furniture

| SI No | Name of Item with specification | Unit of Measure | Proposed Quantity to be Procured | Name of the Brand |
|-------|--|-----------------|----------------------------------|-------------------|
| 01 | Executive Chair (Ergonomics: Patented Trackback Technology (Posture Perfect) or Active Bio Synchro Mechanism (Marvel) that aligns with the spine's natural movement. Back Type: Medium-back design for maximum support. Upholstery: Premium leather, leatherette, or breathable mesh (e.g., Aero series). Adjustments: Seat height adjustment, multi-position tilt limiters, and adjustable lumbar support. Armrests: Height-adjustable arms, often with polyurethane (PU) soft-top coating. Base: Typically a sturdy 5-prong base with chrome or nylon finish, featuring 360-degree swivel wheels. | Per unit | 16 | |
| 02 | Table length 72" x height 30" x width 36" | Per unit | 03 | |
| 03 | Steel Almirah Steel Almirah Standard Size, 20 Gauge - (78 x 36 x 19) Without locker | Per unit | 7 | |
| 04 | Wooden Chair length 18" x height 18" x width 18" with back rest & hand rest | Per unit | 10 | |
| 05 | Patient Stool Round top and movable, stainless steel | Per unit | 4 | |
| 06 | Revolving Stool (High Desk to See Microscope) Height adjustable and with back rest | Per unit | 05 | |
| 07 | Executive Table with Draw System (48 "TO 42 ") length 48" x height 30" x width 36" with draw system | Per unit | 01 | |
| 08 | Executive Revolving Chair with Head Rest | Per unit | 05 | |

| | | | | |
|----|--|----------|-----|--|
| | <p>Ergonomics: Patented Trackback Technology (Posture Perfect) or Active Bio Synchro Mechanism (Marvel) that aligns with the spine's natural movement.</p> <p>Back Type: Medium-back design for maximum support.</p> <p>Upholstery: Premium leather, leatherette, or breathable mesh (e.g., Aero series).</p> <p>Adjustments: Seat height adjustment, multi-position tilt limiters, and adjustable lumbar support.</p> <p>Armrests: Height-adjustable arms, often with polyurethane (PU) soft-top coating.</p> <p>Base: Typically a sturdy 5-prong base with chrome or nylon finish, featuring 360-degree swivel wheels.</p> | | | |
| 09 | Executive Chair Without Head Rest | Per unit | 7 | |
| 10 | Plastic Chair for Patient with Arm | Per unit | 11 | |
| 11 | Foot Steps (Prestige) 500mm (L) x 300mm (W) x 230mm (H) Anti slip aluminum trade plate | Per unit | 02 | |
| 12 | Wooden Height Chair Wooden chair with cushion without arm and with back rest. Width 18" height 36" | Per unit | 05 | |
| 13 | Adjustable Steel Rack 3 Self Steel rack height 36" length 36" width 10" | Per unit | 04 | |
| 14 | Medicine Storage Box Plastic container & partition box (4/6 partition) | Per unit | 200 | |
| 15 | Plastic Rack for File Plastic cupboard 4 self (4' x 2') | Per unit | 04 | |
| 16 | Computer Table Height 30" x length 36" x width 24" with key board, dcpu & ups stand, draw | Per unit | 02 | |
| | Eye Department | Per unit | | |
| 01 | Waiting Chair 3-Seater eat/Backrest made of powder-coated perforated cold-rolled mild steel (approx. 1.4 mm thick). | Per unit | 19 | |

| | | | | |
|----|---|----------|----|--|
| | Central beam and frame constructed from cold-rolled M.S. ERW tube. Approximately 163 cm (W) X 57cm (D) X 67.5cm (H) with a seat depth of roughly 45.5cm | | | |
| 02 | L Shaped Table T-25 With Pedestal 1800W X 750D X 750H | Per unit | 01 | |
| 03 | High Back Chair Bravo High back with breathable mesh. Auto-adjustable 3D adjustable soft PU padded armrests | Per unit | 02 | |
| 04 | Visitor Chair Bravo Mid-back visitor chair with contoured lumbar support. powder-coated mild steel frame for stability. 1.2 ±0.1 cm thick hot-pressed plywood with moulded polyurethane (PU) foam. Approximately 47.5 cm (W) x 58 cm (H) (Back), 47 cm (W) x 48 cm (D) (Seat). Fixed loop arms. | Per unit | 4 | |
| 05 | Height Adjustable Top Round Stool Heigh adjustable and top round stainless steal | Per unit | 7 | |
| 06 | Table Enterprise 1350 Without CPU Hanger (1350 X 750 X 720) | Per unit | 02 | |
| 07 | Reserve Storage Unit (W 900 X H 1200) | Per unit | 8 | |
| 08 | Examination Table Dimensions: Approximately 1800-1900mm (L) x 500-600mm (W) x 750-810 (H) Structure: Heavy-duty mild steel or stainless steel frame with epoxy powder coating for rust resistance. Top Section: Two-section top, often with a manually adjustable (ratchet) or pneumatic backrest (). Padding: High-quality, washable Rexene or vinyl upholstery with PU foam padding. Storage & Accessories: Many models include 2-3 drawers, a cabinet, a sliding BP apparatus tray, and a paper roll holder. | Per unit | 4 | |

| | | | | |
|----|--|----------|----|--|
| | Weight Capacity: Generally designed to support 150-200 KG | | | |
| 09 | Mattress For Examination Table Dimensions: Common sizes are 183cm x 51 cm (standard) Thickness: 2 inches to 4 inches Material: High-density polyurethane (PU) foam or combination with coir, ensuring firm support. Covering: Waterproof, antimicrobial, washable, and fire-retardant Rexene/synthetic leather. | Per unit | 4 | |
| 10 | Double Foot Step Lowest step - 500mm (L) x 300mm (W) x 230mm (H) Top step - 500mm (L) x 300mm (W) x 400mm (H) Anti slip aluminum trade plate | Per unit | 4 | |
| 11 | Table Enterprise 1200 Without CPU Hanger (1200 X 600 X 728) | Per unit | 5 | |
| 12 | Mid Back Chair Approximately 85.5-97.5 cm (H) X 76.3cm (W), with a seat height range of 4.5-54.5 cm Breathable mesh backrest with upholstered fabric seat Fixed Poly-Propylene (PP) armrests. 5-star black nylon pedestal with twin wheel castors. | Per unit | 13 | |
| 13 | Visitor Chair Without Arm Pch-1018 Width: 52 cm Depth: 60.5 cm Total Height: 78.5 cm Seat Height: 45.5 cm | Per unit | 4 | |
| 14 | Revolving Stool Round top and movable, stainless steel | Per unit | 6 | |
| 15 | Revolving Stool Without Back Round top, Stainless steal top, 360 degree rotation, 4 leg base Dimension – 53.8 cm width x 47-65.5 cm height | Per unit | 14 | |
| 16 | Mingle 8-Seater (2350 X 1150 X 740) | Per unit | 01 | |
| 17 | Ayush Simple Locker | Per unit | 02 | |

| | | | | |
|----|---|----------|----|--|
| | 400mm (W) x 400mm (D) x 830mm (H) Strong mild steal, RAL white 8 bend panel structure, one cabinet with cam lock + one empty shelf space, caster wheels for easy movement. | | | |
| 18 | Table Finesse 5026 + ERU 3616 + Pedestal (1500+750+740) + (1050+450+705) | Per unit | 01 | |
| 19 | High Back Chair High back with breathable mesh. Auto-adjustable 3D adjustable soft PU padded armrests | Per unit | 01 | |
| 20 | Visitor Chair Mid-back visitor chair with contoured lumbar support. powder-coated mild steel frame for stability. 1.2 ±0.1 cm thick hot-pressed plywood with moulded polyurethane (PU) foam. Approximately 47.5 cm (W) x 58 cm (H) (Back), 47 cm (W) x 48 cm (D) (Seat). Fixed loop arms | Per unit | 06 | |
| 21 | Almirah Storwel Plain (1981 H X 916 W X 486 D) | Per unit | 01 | |
| 22 | Drawer Filling Cabinet (1320 H X 470 W X 620 D) | Per unit | 01 | |
| 23 | Pedestal Dustbin | Per unit | 20 | |

Note: - Bidder should quote for a single item and single brand. Price of multiple brands is not acceptable. Bidder has to quote only well-known brand available in the market (Preferably Godrej, Nilkamal, Feather lite & Durian). Price of the item should not exceed MRP (i.e. maximum retail price). Rates are exclusive of all taxes and inclusive of transportation & other charges.

Annexure No - III

(Affidavit on Rs. 100/- non-judicial stamp paper and should be notarized)

- That, I Mr. / Mrs. _____ on behalf of _____ (Firm/Agency/Distributor Name) declare that I / We are not blacklisted by any Central / State Govt. / Public Sector undertaking in India. I have given consent that the supply of above materials will be done in the stipulated time and as per given specification provided.
- That, the organization does not have any legal suit / criminal case pending against it for violation of Income Tax & GST Act or any other law in India.
- That, I Mr. / Mrs. _____ on behalf of _____ (Firm/Agency/Distributor Name) declare that I / We are agrees to abide by all terms & conditions of the tender. I confirm that the information that I have provided above is true & correct.
- That, I hereby undertake to give at least 1 (one) year warranty on the items supplied by me.
- That, I hereby undertake to repair all the items supplied by me during warranty period.
- I confirm that the information I have provided above is true & correct.

Date:

Place:

Signature

Name

Designation:

Technical Bid
(Cover – A)

| Sl No | Particulars | (Clearly mention data here) (Don't refer any annexure) | Page No |
|-------|--|---|---------|
| 1. | Name of the Organization | | 1 |
| 2. | Address of the Organization | | |
| 3. | Name of the Authorized Signatory. (In capital letter) | | |
| 4. | Authorization & Specimen signature of the authorized signatory. | | |
| 5. | Telephone No / Mobile No of the Authorized Signatory / Organization. | | |
| 6. | Email ID of the organization | | |
| 7. | Photocopy of Registration of Agency / Organization | | 2 |
| 8. | PAN No of the organization / Proprietor / Managing Partner / Director of the organization (Attach photo copy of PAN Card) | | 3 |
| 9. | GST Registration No (Attach photo copy of registration certificate) | | 5 |
| 10. | Valid authorization certificates either from manufacturer or their authorized representatives such as Dealer/ Distributorship certificate. | | 7 |

| | | | |
|-----|--|--|---|
| | Tender paper cost in shape of Demand Draft of Rs. 2,000/- (Rupees Two Thousand only) | Details of Demand Draft along with details of Drawee Bank | |
| | | Draft No: | |
| | | Name of the Bank: | |
| | | Branch address: | |
| | | Amount (Rs.): | |
| 11. | Security Deposit in shape of Demand Draft of Rs.90, 000/- (Rupees Ninty Thousand only). | Details of Demand Draft along with details of Drawee Bank | |
| | | Draft No: | |
| | | Name of the Bank: | |
| | | Branch address: | |
| | | Amount (Rs.): | |
| 12. | <p>The bidder has to submit an affidavit (Notarized) on Rs. 100/- non-judicial stamp paper in the format given in <u>Annexure – “III”</u>.</p> <ul style="list-style-type: none"> ▪ That the organization does not have any legal suit / criminal case pending against it for violation of Income Tax & GST Act or any other law in India. ▪ That the organization agrees to abide by all terms & conditions of the tender. ▪ That the organization is not blacklisted by any Central / State Govt. / Public Sector undertaking in India. ▪ That the organization has given consent to supply the materials in the stipulated time as per given specification. ▪ That, the information provided are true & correct. ▪ That, I hereby undertake to give at least 1 (one) year warranty on the items supplied by me. ▪ That, I hereby undertake to repair all the items supplied by me during warranty period. | | 8 |
| 13. | Audited Financial Statements for last 3 years (i.e. 2022-23,2023-24 & 2024-25) | | |

m.

| | | | |
|-----|--|--|--|
| 14. | Turnover certificate of Rs. 20 lakhs or more in the last three (3) financial years certified by the Chartered Accountant with UDIN Number. | | |
| 15. | Documents in support of experience in the relevant field at least for three (3) years. | | |
| 16. | Documents in support of proof towards supplying similar items to any Govt sector in last three (3) years. | | |
| 17. | Brochure / Photograph of items quoted | | |
| 18. | Whether all documents submitted signed by the authorized signatory of the organization (Yes / No) | | |

±
DECLARATION

I / We hereby declare that, the terms and conditions, specification etc. given with the tender notice have been read carefully and it is acceptable to me/us and that the information furnished above is full and correct to the best of my / our knowledge. I/ We understand that in case of any deviation in the above statement at any state, the Firm/Agency will be blacklisted and will not have any dealing with it in future.

Place :
Date :

Seal & Signature of authorized Signatory.

m.

Annexure No - IV

(To be submitted in Cover – A Technical Bid)

ANNUAL TURN OVER CERTIFICATE

The Annual Turnover for the last three financial years of M/s. _____
are given below and certified that the statement is true and correct.

| <i>Sl No.</i> | <i>Financial Year</i> | <i>Turnover in (Rs)</i> (both in words and figures) |
|----------------|-----------------------|--|
| 1 | 2022-23 | |
| 2 | 2023-24 | |
| 3 | 2024-25 | |
| <i>Average</i> | | |

Date:

Place:

Seal

Signature of Auditor/
Chartered Accountant

(Name in Capital)

Membership No:

UDIN No:

N.B.:

This turnover statement should also be supported by copies of audited annual statements of the last three years/ Annual Reports and the turnover figure should be highlighted there.



**Financial Bid
(Cover – B)**

| Sl No | Name of Item with specification | Unit of Measure | Name of the Brand | Price per Unit (Including Transportation and other charges but excluding GST) | Proposed Quantity to be Procured | Total Price (Excluding GST) | GST | Total Price (Including GST) |
|-------|---|-----------------|-------------------|--|----------------------------------|-----------------------------|-----|-----------------------------|
| 01 | <p>Executive Chair (Ergonomics: Patented Trackback Technology (Posture Perfect) or Active Bio Synchro Mechanism (Marvel) that aligns with the spine's natural movement. Back Type: Medium-back design for maximum support. Upholstery: Premium leather, leatherette, or breathable mesh (e.g., Aero series). Adjustments: Seat height adjustment, multi-position tilt limiters, and adjustable lumbar support. Armrests: Height-adjustable arms, often with polyurethane (PU) soft-top coating. Base: Typically, a sturdy 5-prong base with chrome or nylon finish, featuring 360-degree swivel wheels.</p> | Per unit | | | 16 | | | |
| 02 | Table length 72" x height 30" x width 36" | Per unit | | | 03 | | | |
| 03 | Steel Almirah Steel Almirah Standard Size, 20 Gauge - (78 x 36 x 19) Without locker | Per unit | | | 7 | | | |
| 04 | Wooden Chair length 18" x height 18" x width 18" with back rest & hand rest | Per unit | | | 10 | | | |
| 05 | Patient Stool Round top and movable, stainless steel | Per unit | | | 4 | | | |
| 06 | Revolving Stool (High Desk to See Microscope) Height adjustable and with back rest | Per unit | | | 05 | | | |
| 07 | Executive Table with Draw System (48 "TO 42 ") | Per unit | | | 01 | | | |

h.

| | | | | | | | |
|----|--|----------|--|--|-----|--|--|
| | length 48" x height 30" x width 36" with draw system | | | | | | |
| 08 | Executive Revolving Chair with Head Rest Ergonomics: Patented Trackback Technology (Posture Perfect) or Active Bio Synchro Mechanism (Marvel) that aligns with the spine's natural movement. Back Type: Medium-back design for maximum support. Upholstery: Premium leather, leatherette, or breathable mesh (e.g., Aero series). Adjustments: Seat height adjustment, multi-position tilt limiters, and adjustable lumbar support. Armrests: Height-adjustable arms, often with polyurethane (PU) soft-top coating. Base: Typically, a sturdy 5-prong base with chrome or nylon finish, featuring 360-degree swivel wheels. | Per unit | | | 05 | | |
| 09 | Executive Chair Without Head Rest | Per unit | | | 7 | | |
| 10 | Plastic Chair for Patient with Arm | Per unit | | | 11 | | |
| 11 | Foot Steps (Prestige) 500mm (L) x 300mm (W) x 230mm (H) Anti slip aluminum trade plate | Per unit | | | 02 | | |
| 12 | Wooden Height Chair Wooden chair with cushion without arm and with back rest. Width 18" height 36" | Per unit | | | 05 | | |
| 13 | Adjustable Steel Rack 3 Self Steel rack height 36" length 36" width 10" | Per unit | | | 04 | | |
| 14 | Medicine Storage Box Plastic container & partition box (4/6 partition) | Per unit | | | 200 | | |
| 15 | Plastic Rack for File Plastic cupboard 4 self (4' x 2') | Per unit | | | 04 | | |
| 16 | Computer Table | Per unit | | | 02 | | |

| | | | | | | | | |
|----|--|----------|--|--|----|--|--|--|
| | Height 30" x length 36" x width 24" with key board, depu & ups stand, draw | | | | | | | |
| | Eye Department | Per unit | | | | | | |
| 01 | Waiting Chair 3-Seater eat/Backrest made of powder-coated perforated cold-rolled mild steel (approx. 1.4 mm thick). Central beam and frame constructed from cold-rolled M.S. ERW tube. Approximately 163 cm (W) X 57cm (D) X 67.5cm (H) with a seat depth of roughly 45.5cm | Per unit | | | 19 | | | |
| 02 | L Shaped Table T-25 With Pedestal 1800W X 750D X 750H | Per unit | | | 01 | | | |
| 03 | High Back Chair Bravo High back with breathable mesh. Auto-adjustable 3D adjustable soft PU padded armrests | Per unit | | | 02 | | | |
| 04 | Visitor Chair Bravo Mid-back visitor chair with contoured lumbar support. powder-coated mild steel frame for stability. 1.2 ±0.1 cm thick hot-pressed plywood with moulded polyurethane (PU) foam. Approximately 47.5 cm (W) x 58 cm (H) (Back), 47 cm (W) x 48 cm (D) (Seat). Fixed loop arms. | Per unit | | | 4 | | | |
| 05 | Height Adjustable Top Round Stool Heigh adjustable and top round stainless steal | Per unit | | | 7 | | | |
| 06 | Table Enterprise 1350 Without CPU Hanger (1350 X 750 X 720) | Per unit | | | 02 | | | |
| 07 | Reserve Storage Unit (W 900 X H 1200) | Per unit | | | 8 | | | |
| 08 | Examination Table | Per unit | | | 4 | | | |

ln.

| | | | | | | | |
|----|---|----------|--|--|----|--|--|
| | <p>Dimensions: Approximately 1800-1900mm (L) x 500-600mm (W) x 750-810 (H)</p> <p>Structure: Heavy-duty mild steel or stainless steel frame with epoxy powder coating for rust resistance.</p> <p>Top Section: Two-section top, often with a manually adjustable (ratchet) or pneumatic backrest ().</p> <p>Padding: High-quality, washable Rexene or vinyl upholstery with PU foam padding.</p> <p>Storage & Accessories: Many models include 2-3 drawers, a cabinet, a sliding BP apparatus tray, and a paper roll holder.</p> <p>Weight Capacity: Generally designed to support 150-200 KG</p> | | | | | | |
| 09 | <p>Mattress For Examination Table</p> <p>Dimensions: Common sizes are 183cm x 51 cm (standard)</p> <p>Thickness: 2 inches to 4 inches</p> <p>Material: High-density polyurethane (PU) foam or combination with coir, ensuring firm support.</p> <p>Covering: Waterproof, antimicrobial, washable, and fire-retardant Rexene/synthetic leather.</p> | Per unit | | | 4 | | |
| 10 | <p>Double Foot Step</p> <p>Lowest step - 500mm (L) x 300mm (W) x 230mm (H)</p> <p>Top step - 500mm (L) x 300mm (W) x 400mm (H)</p> <p>Anti slip aluminum trade plate</p> | Per unit | | | 4 | | |
| 11 | <p>Table</p> <p>Enterprise 1200 Without CPU Hanger (1200 X 600 X 728)</p> | Per unit | | | 5 | | |
| 12 | <p>Mid Back Chair</p> <p>Approximately 85.5-97.5 cm (H) X 76.3cm (W), with a seat height range of 45-54.5 cm</p> <p>Breathable mesh backrest with upholstered fabric seat</p> <p>Fixed Poly-Propylene (PP) armrests.</p> <p>5-star black nylon pedestal with twin wheel castors.</p> | Per unit | | | 13 | | |
| 13 | <p>Visitor Chair Without Arm Pch-1018, Width: 52 cm, Depth: 60.5 cm Total Height: 78.5 cm, Seat Height: 45.5 cm</p> | Per unit | | | 4 | | |

h.

| | | | | | | | | |
|--------------|---|----------|--|--|----|--|--|--|
| 14 | Revolving Stool Round top and movable, stainless steel | Per unit | | | 6 | | | |
| 15 | Revolving Stool Without Back Round top, Stainless steel top, 360-degree rotation, 4 leg bases Dimension – 53.8 cm width x 47-65.5 cm height | Per unit | | | 14 | | | |
| 16 | Mingle 8-Seater (2350 X 1150 X 740) | Per unit | | | 01 | | | |
| 17 | Ayush Simple Locker 400mm (W) x 400mm (D) x 830mm (H) Strong mild steal, RAL white 8 bend panel structure, one cabinet with cam lock + one empty shelf space, caster wheels for easy movement. | Per unit | | | 02 | | | |
| 18 | Table Finesse 5026 + ERU 3616 + Pedestal (1500+750+740) + (1050+450+705) | Per unit | | | 01 | | | |
| 19 | High Back Chair High back with breathable mesh. Auto-adjustable 3D adjustable soft PU padded armrests | Per unit | | | 01 | | | |
| 20 | Visitor Chair Mid-back visitor chair with contoured lumbar support. powder-coated mild steel frame for stability. 1.2 ±0.1 cm thick hot-pressed plywood with moulded polyurethane (PU) foam. Approximately 47.5 cm (W) x 58 cm (H) (Back), 47 cm (W) x 48 cm (D) (Seat). Fixed loop arms | Per unit | | | 06 | | | |
| 21 | Almirah Storwel Plain (1981 H X 916 W X 486 D) | Per unit | | | 01 | | | |
| 22 | Drawer Filling Cabinet (1320 H X 470 W X 620 D) | Per unit | | | 01 | | | |
| 23 | Pedestal Dustbin | Per unit | | | 20 | | | |
| Total | | | | | | | | |

h.

Note: - Bidder should quote for a single item and single brand. Price of multiple brands is not acceptable. Bidder has to quote only well-known brand available in the market (Preferably Godrej, Nilkamal, Feather lite & Doraemon). Price of the item should not exceed MRP (i.e. maximum retail price). Rates are exclusive of all taxes and inclusive of transportation & other charges

Sm.